



Republic of the Philippines
Office of the President
Philippine Sports Commission

INVITATION TO BID FOR THE

Supply and Delivery of Various Medical Equipment for the Comprehensive Modernization of Medical and Scientific Athlete Services (MSAS) Lot IV

1. The Philippine Sports Commission under the General Appropriations Fund through Board Resolution No. 562-2017 intends to apply the sum of Five Million Five Hundred Thirty Two Thousand Five Hundred Fifty Pesos (Php5, 532,550.00) being the Approved Budget for the Contract (ABC) to payments under the contract for *Supply and Delivery of Various Medical Equipment for the Comprehensive Modernization of Medical and Scientific Athletic Services (MSAS) Lot IV*.

Bids received in excess of the ABC shall be automatically rejected at bid opening.

2. The Philippine Sports Commission now invites bids for *Supply and Delivery of Various Medical Equipment for the Comprehensive Modernization of Medical and Scientific Athletic Services (MSAS) Lot IV*. Delivery of the Goods is required within sixty (60) days from the date of receipt by the winning bidder of the NTP. Bidders should have completed, within 3 years from the date of submission and receipt of bids, a contract similar to the project which is at least fifty percent (50%) of the ABC. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184, otherwise known as the "Government Procurement Reform Act".
4. Bidding is restricted to Filipino Citizens/Sole Proprietorships, Partnerships, or Organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens pursuant to RA 5183 and subject to Commonwealth Act 138.
5. Interested Bidders may obtain further information from the Philippine Sports Commission and inspect the Bidding documents at the address given below during office hours:

*Office of the BAC Secretariat, c/o Office of the BAC Chairman,
4/F Administration Building, Rizal Memorial Sports Complex
P. Ocampo Sr. St., Malate, Manila
525-4933*

6. A complete set of Bidding Documents may be acquired by interested Bidders on 23 October 2017 from the address above upon payment of the bidding documents in the amount of *Ten Thousand Pesos (Php 10,000.00)*:

7. The Philippine Sports Commission will hold a Pre-Bid Conference on *30 October 2017, 10:00AM* at *BAC Bidding Room Ground Floor Administrative Building, Rizal Memorial Sports Complex P. Ocampo Sr. St., Malate Manila*, which shall be open to prospective bidders.
8. Submission of bids shall be on *14 November 2017 from 8:00 AM to 9:30 AM* at the *BAC Bidding Room Ground Floor Administrative Building, Rizal Memorial Sports Complex P. Ocampo Sr. St., Malate Manila*. Opening of bids shall be on the same day, *14 November 2017 at 10:00 AM* at the *BAC Bidding Room Ground Floor Administrative Building, Rizal Memorial Sports Complex P. Ocampo Sr. St., Malate Manila*. All bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 18. Late bids shall not be accepted.
9. The Philippine Sports Commission reserves the right to reject any and all bids, declare a failure of bidding at any time prior to contract award, without thereby incurring any criminal, civil, or administrative liability, regardless of the outcome of the bidding process or not award the contract at any time prior to contract award in accordance with Section 41 of RA 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.


ATTY. SANNA B. FRIVALDO
Chairperson
Bids and Awards Committee

SECTION III. BID DATA SHEET

ITB Clause	
1.1	The Procuring Entity is <i>Philippine Sports Authority</i>
1.2	The lot(s) and reference is/are: Invitation to Bid No. 2017-10.04. <i>Supply and Delivery of Various Medical Equipment for the Comprehensive Modernization of Medical and Scientific Athletic Services (MSAS) Lot IV</i>
2	The Funding Source is: The Government of the Philippines (GOP) through the General Appropriations Fund in the amount of Five Million Five Hundred Thirty Two Thousand Five Hundred Fifty Pesos (Php5, 532,550.00) . The name of the Project is: <i>Supply and Delivery of Various Medical Equipment for the Comprehensive Modernization of Medical and Scientific Athletic Services (MSAS) Lot IV</i> .
3.1	No further instructions.
5.1	No further instructions.
5.2	None of the circumstances mentioned in the ITB Clause exists in this Project. Foreign bidders, except those falling under ITB Clause 5.2(b), may not participate in this Project.
5.4	The Bidder must have completed, within three (3) years a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC. For this purpose, similar contracts shall refer to supply and delivery of medical equipment.
7	No further instructions.
8.1	Subcontracting is not allowed.
8.2	Not applicable.
9.1	The Procuring Entity will hold a pre-bid conference for this Project on 30 November 2017 at 10:00 AM at the Bidding Room, Ground Flr., PSC Administrative Building, Rizal Memorial Sports Complex, Pablo Ocampo Sr., Street, Malate, Manila.
10.1	The Procuring Entity's address is: Philippine Sports Commission, Rizal Memorial Sports Complex, Pablo Ocampo Sr., Street, Malate, Manila. <i>Contact Person: Atty. SANNAH R. FRIVALDO c/o Office of the BAC Chairperson, 4th Flr Administrative Bldng., Rizal Memorial Sports Complex P. Ocampo Sr. St Malate Manila Tel. No. 525-4933</i>
12.1	The first envelope shall contain the original or official certified true copy of the eligibility and technical requirements. Additional technical documents:

	<p>1. Authority of the signatory, duly notarized, to participate in the bidding at hand:</p> <ul style="list-style-type: none"> i. For Single Proprietorship – Special Power of Attorney (SPA) issued by ownership/proprietor. ii. For Partnership – Partnership resolution issued by the General Partner or President of the Partnership. iii. For Corporation – Secretary’s Certificate and Board Resolution. iv. For Joint Venture – Board Resolution of each JV Partner.
12.1(a)(ii)	Sworn statement of all ongoing government and private contracts shall include all such contracts within three (3) years prior to the deadline for the submission and receipt of bids.
13.1	No additional requirements.
13.1 (b)	No additional requirements.
13.1(c)	No further instructions.
13.2 (a)	No further instructions.
13.2 (b)	No further instructions.
15.4(a)(iv)	No incidental services required.
15.4(b)(i)	Not applicable
15.1 b (ii)	Not applicable
16.1 (b)	The Bid Prices for Goods supplied from outside the Philippines shall be quoted in Philippine Peso
16.3	No further instructions
17.1	Bids shall be valid for one hundred twenty (120) calendar days from 14 November 2017.
18. 1	<p>The bid security shall be in the following amount:</p> <ul style="list-style-type: none"> 1. The amount of <i>2% of ABC</i>, if bid security is in cash, cashier’s/manager’s check, bank draft/guarantee or irrevocable letter of credit; 2. The amount of <i>5% of ABC</i> if bid security is in Surety Bond; or
18.2	The bid security shall be valid for one hundred twenty days from 14 November 2017.
20.3	Each Bidder shall submit <i>one</i> original and <i>two duplicate</i> copies of the first and second components of its bid.
21	<p>The address for submission of bids is Office of the BAC Secretariat, c/o Office of the BAC Chairman, 4th Flr., Administrative Bldg., Rizal Memorial Sports Complex, P. Ocampo Sr., St., Malate, Manila.</p> <p>The deadline for submission of bids is 14 November 2017, from 8:00AM to 9:30AM.</p>
24. 1	The place of bid opening is BAC Bidding Room, Grnd Flr., Administrative

	Bldg., Rizal Memorial Sports Complex, P Ocampo Sr., St., Malate, Manila. The date and time of bid opening is 14 November 2017 at 10:00AM.
24.2	No further instructions.
24.3	No further instruction
27.1	No further instructions.
28.3(a)	The goods are grouped in a single lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation and contract award.
28.3(b)	Bid modification is not allowed.
28. 4	No further instructions.
29.2	Only tax returns filed and taxes paid through the BIR Electronic Filing and Payment System (EFPS) shall be accepted. NOTE: The latest income and business tax returns are those within the last six months preceding the date of bid submission.
29.2 (d)	No other license or permit required
32.4 (g)	No additional documents required

Atty. SANNAH R. FRIVALDO
BAC Chairperson

SECTION V. SPECIAL CONDITIONS CONTRACT

GCC Clause	
1.1(i)	The Procuring Entity is <i>Philippine Sports Commission (PSC)</i>
1.1(j)	The Supplier is <i>[to be inserted at the time of contract award]</i> .
1.1(k)	The Funding Source is The Government of the Philippines (GOP) under the General Appropriations Fund through the Board Resolution No. 562-2017 in the amount of Five Million Five Hundred Thirty Two Thousand Five Hundred Fifty Pesos (₱5,532,550.00).
5.1	The Project Sites are: Rizal Memorial Sports Complex P. Ocampo Sr. St., Malate, Manila
6.2	The Procuring Entity's address for Notices is: <i>Office of the BAC Secretariat, c/o Office of the BAC Chairman, 4/F Administration Building, Rizal Memorial Sports Complex P. Ocampo Sr. St., Malate, Manila 525-4933</i>
10.4	The winning bidder/supplier shall deliver the goods specified in Section VI (Schedule of Requirements) and Section VII (Technical Specification) to the Procuring Entity in prime condition.
13.4(c)	Not applicable.
16.1	No further instructions
17.3	No further instructions
17.4	Three (3) months after acceptance by the Procuring Entity of the delivered Goods or after the Goods are consumed, whichever is earlier.
21.1	The period for correction of defects in the warranty period is fifteen (15) days from notice of defect.

SECTION VI. SCHEDULE OF REQUIREMENTS

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Quantity	Total	Delivered, Weeks/Months
1	Autoclave Machine (18L) 18L Automatic High Pressure Rapid Steam Sterilizer High-efficiency ultimate Vacuum LCD Screen Multiple security protective devices Automatic door	2 Units		
2	Battlefield stretcher Aluminum Alloy, 93L x 20W x 20H cm(Folded Size), Load Bearing Weight of 159kgs.	2 units		
3	Canvass Stretcher (folding) Lightweight, Aluminum Alloy, Unfolded Size: 220x54x15cm	2 units		
4	CPR board L: 23.5inches, W:17in, Orange in Color	4 units		
5	Diagnostic Set-Portable (EENT) With Ophthalmoscope, Otoscope, Mouth and Nose Illuminations; H=19.7cm, W=11.8cm, Depth= 5.5cm	4 sets		
6	Dressing Carriage Body is made up of Plastic, Steel and Aluminum; Easy to move and with drawers, Workable top: 600x450x840mm; Dimension:775x635x91 mm; With basket for sharps and trash can on sides	3 units		
7	Electrocautery Machine Main Specifications: RFS-3800K RadioFreq SURG RFS-3800K (220 240 volts)	1 unit		

	<p>Output Voltage :Variable from 500 to 600±20%</p> <p>Output Power:100w±20%</p> <p>Output Frequency:3.8 MHz.</p> <p>Output Waveform:Cut (Fully Filtered) Cut &Coag (Fully Rectified) Coag (Partially Rectified) Fulguration (Spark-Gap)</p> <p>Accessories: Neutral Plates Surgical Electrodes RF Surgipens Footswitches</p>			
8	<p>ECG Machine</p> <ul style="list-style-type: none"> • 7" TFT, touch screen, led backlight • Digital isolation technology and signal processing solution, digital filter • Patient management, name and age and id. • Detail analysis report. • Multi-language options: German, French, Italian, Turkish • Built-in lithium rechargeable battery, wide thermal printing system • USB and LAN socket. • Memory: Built-in memory or mini SD Memory card. Store more than 1000 pieces of archive • Auto-measurement, auto-analysis, and auto interpretation. • Lead: Standard 12 leads • Patient leak current: <10uA • Input impedance: =50M • Frequency response: 0.05 ~ 150HZ(-3dB) • Time constant: >3.2S • CMRR: >100dB • Dimension of 	1 unit		

	<p>recording paper: 80mmx20m</p> <ul style="list-style-type: none"> • Paper speed: 25mm/s, 50mm/s • Sensitivity choice: 5, 10,20mm/mV. • Measurement parameters: HR, P-R interval, P-Duration, QRS Duration, Q-T interval, Q-Tc,P Axis, QRS Axis, T Axis, R(V5), S(V1), R(V5)+S(V1) • Product safety type: Class I, CF. Defibrillation and pacing protection • Enduring polarization voltage: $\pm 300\text{mv}$ • Noise level: $<15\text{uVp-p}$ • Dimension: 130mm(L)\times74mm(W)\times25mm(H) • Net weight: 2.3KG 			
9	<p>E-Cart (3 drawers with Cardiac Board and Central Lock) Construction:</p> <ul style="list-style-type: none"> • All steel Features include: <ul style="list-style-type: none"> • Cardiac board • I.V. Pole, 2 prong • Oxygen bottle holder (for size D/E cylinders) • Side mounted drop shelf without lip • Utility hooks, set-4 • 3 x 6-compartment drawer trays • 3 x 7-compartment drawer trays • Short Cabinet with stainless steel breakaway locking system • Breakaway lock seals, pkg-50 • Vinyl-padded full wrap-around steel bumper • Five-inch (12.7 cm) premium rubber single-wheel casters, full swivel – one with brake, one directional • Stainless steel top rail/push handle 	1	set	

	<ul style="list-style-type: none"> • Removable plastic top • Ball-Bearing Drawer Slides • Double-walled drawer faces with no rough edges • Cart is delivered fully assembled • Certified "Latex Free" • Five Year Warranty • Compatible with most accessories • Hard-baked powder coat finish <p>Drawer configuration:</p> <ul style="list-style-type: none"> • 3 x 3-inch (7.6 cm) • 1 x 6-inch (15.2 cm) • 1 x 9-inch (22.9 cm) <p>Drawer Dimensions: 23" W x 17" D (58.4 cm W x 43.2 cm D)</p> <p>Assembled Cart Dimensions: 38.5" H x 38" W x 22" D (97.8 cm H x 55.9 cm D x 96.5 cm W)</p> <p>Height with IV pole: 61" (155 cm) H</p> <p>Cart weight: 155 pounds (70.3 kg)</p> <p>Approx. shipping weight: 190 pounds (86.4 kg)</p>			
10	Foot Stool (1 step) Heavy Duty with non Skid Rubber	2 pcs		
11	Foot Stool (2step) Heavy Duty with non Skid Rubber	2 pcs		
12	Head Immobilizer (adult) Simple to use, lightweight, Includes two plastic-coated, closed-cell foam head supports, a universal attachment base, and two durable head straps; Can be attached to spineboards and stretchers; Wt: 9kg., Width: 26cm; H: 17cm; L: 40cm	2 pcs		
13	Head Immobilizer (pedia) Simple to use, lightweight, Includes two plastic-coated, closed-cell foam head supports, a universal	2 pcs		

	attachment base, and two durable head straps; Can be attached to spine boards and stretchers; Wt: 9kg., Width: 26cm; H: 17cm; L: 40cm			
14	Negatoscope (double) High quality aluminum alloy frame that is processed by electrophoresis finishing; Ultrathin design at the thickness of 4.5cm.; ABS plastic material ensures side frame be firm enough.; Special surface treatment to avoid being scratched. Frame: 885x500x25mm	2 units		
15	One fold stretcher with wheels and straps Dimensions: LxWxH 185x52x23cm; Folded Size: LxWxH 93x52x10cm Load Bearing: 159 kg; Net Weight: 5 kg; Made of aluminum and heavy duty oxford fabric	2 units		
16	Otoscope Wide-angle viewing lens; Height: 13 CM; Width: 7.5 CM; Depth: 5.1 CM; Weight: 0.1 KG	5 units		
17	Overbed table Adjustable height, adjustable tilt, H Base fits under bed easily	4 units		
18	Padded Splint Set made with 1/2 X 3-in wood, sealed in reusable orange vinyl bags. 1/2-in foam on one side of splint adds comfort for patient. Set of 2 each 15 inch, 36 inch and 54 inch padded board splints with carrying case.	3 sets		
19	Scoop Stretcher Made from lightweight, high-impact composite materials Twin Safety Lock® hinge for smooth and nonbinding locking and unlocking Includes three burgundy restraints Two hinged, interlocking pieces allow operators to gently scoop up a patient without having to roll them; decreasing movement to the	2 pcs		

	cervical spine Folds to 47" for compact carrying and storage 500 lb. weight capacity			
20	Sharps Container (5L) Container made of polypropylene, Color Yellow, 182mm x 181mm x 260mm	2 pcs		
21	Sharps Container (10L) Container made of polypropylene, Color Yellow, 182mm x 181mm x 260mm	2 pcs		
22	Spine Board with strap Dimension: 145cmx 66cm; Color Orange; Material: High-density polyethylene (HDPE); X-ray translucent; Compatible with most head immobilizers; One-piece; hollow inside and circle handholds around; Approx 150kg load capacity; Weight 6 to 10 Kg.	2 units		
23	Stair Chair Stretcher Stationary 5" rear wheels enable swift, easy transport over most surfaces; Telescoping handles enable front-end EMTs to move without interfering with the patient's feet; Max Capacity load: 159 kgs.	2units		
24	Stress ECG Machine PC Based Cardiac workstation combines Resting and Exercise ECG Bluetooth enabled Wireless ECG Transmission module Rechargeable battery with 10 hrs. battery backup up Battery status indicators Standard and user programmable treadmill protocols Risk predicting Duke Treadmill score Detection of leads off and arrhythmias User configured multiple display and reports format Heavy duty Treadmill Upgradeable to Automatic NIBP (optional) Easy to use stress test software with intuitive	1 unit		

	<p>controls. Full disclosure data enables review and re analysis of every beat. User configured multiple display and report format. Standard and user programmable treadmill protocols. Equipped with high torque motor and digitally controlled drive system. Emergency stop with alarm. Compact and light weight with quiet operation safe start.</p>			
25	<p>Three Panel Screen External Dimension: 42x255x160cm; Folding and with thick dark colored curtain</p>	2 units		
26	<p>Tool Box/Tackle Box Hard Case made of PVC with handle;With various compartments; A snap lock with keys; Dimension: 20 x 20.5 x 22.5 cm (15.7" x 8.1" x 8.9")</p>	10 pcs		
27	<p>Wall Mounted Snellen Chart with Light White translucent plastic chart with non-glare black letters; Tumbling E's chart features E's in different directions; Illuminated letter pad or LED Spot light; Can be wall-mounted or stand alone</p>	2 units		
28	<p>Massage Bed length : 185 cm width: 70cm adjustable heights : 62 - 87cm net weight : 10kls padding: foam of 5cm thickness table frame: reinforced by plywood and hardwoods</p>	10 units		
29	<p>Paraffin bath for hand/feet waxing heater Paraffin Wax Bath</p>	6 units		
30	<p>towel and linen Plastic cabinet 9 cubes color : black w/ white cover size: L x W x Hcm (165x37x48)</p>	15 units		
31	<p>Stainless drying towel rack two (3) layer design</p>	15 units		

	size:200x229 Quantity: 15			
32	Humidifier 1.5 ultrasonic air humidifier with led light changing on and off light	10 units		
33	Body composition Monitor Features; - Bluetooth Low Energy 4.0 radio wireless Communications - Android & iPhone compatible (iPhone 4S and newer) - Great for exporting data and long term tracking -measurement assessments shown in 3 backlit colors - Up to 10 full-body measurements - Free App (Healthy Edge Mobile) Specifications: - Display: LCD, 58.4 x 71.1 mm - Memory: 5 Users - Dimensions: 325 x 295 mm - Power: 4 x AA batteries (included) - weight: 2 kg - capacity: 200 kg General Features: - SKU: TA3127HBAA5IRXJANPH -11663429 - Main Material: Plastic - Model: RD953 Dual Frequency Body Composition Monitor - Size (L x W x H cm) 28 x 35 x 5 - Weight (kg) 3 - Warranty period 1 year - Warranty type Local supplier Warranty	2 units		

34	<p>BOD POD Body Composition Testing</p> <p>Tests Total Weight, Fat Mass, Fat-Free Mass, Resting Metabolic Rate (RMR) estimate, Total Energy Expenditure (TEE) estimate, Thoracic Gas Volume (TGV) estimate Hardware Dimensions: 65 x 33 x 52 in (165 x 84 x 132 cm) Weight: 310 lb (141 kg) Maximum Patient Weight: 550 lb (250kg) Temperature : 70-80 ° F(21-27 °C)- operating 40-100°F (5-38°C) – storage Humidity: 20-70% (non-condensing) Standard Packaging Includes: BOD POD Express Unit, electronic scale, kiosk, calibration kit, printer, user manual</p>	1 unit		
35	<p>Bio-Impedante Body Composition Analyzer</p> <ul style="list-style-type: none"> - Frequency: 1 kHz, 5kHz, 50 kHz, 250 kHz, 500kHz, 1000kHz - Display: 800 x 480 Color LCD - Hand Type: Line Type Inbody770-30 impedance measurements by 6 different frequencies (1kHz, 5 kHz, 50kHz, 250kHz, 500 kHz, 1000 kHz) at each 5 segments of the body (right arm, left arm, trunk, right leg, left leg) 15 reactance (Xc) measurements by using 3 different frequencies (5kHz, 50kHz, 250 kHz) at each 5 segments of the body (right arm, left arm, trunk, right leg, left leg) <p>Electrode Method</p>	2 units		

	<p>Tetrapolor 8-Point Tactile Electrodes Measurement Method === Direct Segmental Multi-frequency Bioelectrical Impedance Analysis Method (DSM-BIA) Body Composition Calculation Method ===No Empirical Estimation Dimension -====- 520 (W) x 870 (L) x 1200 (H):mm 20.4 (W) x 34.3 (L) x 47.2 (H): inch Equipment Weight === 45kg (99 lbs) Testing Weight === 10 ~ 250 kg (22 ~551 lbs) Testing Range === 3~99 years Height Range === 95~220cm (3ft. 1.4in ~ 7ft. 2.6in.) Outputs (In Body Results Sheet) - Intracellular Water, Extracellular water, Protein, Mineral, Body Fat Mss, Soft Lean Mass, Fat Free Mass - Skeletal Muscle Mass, Weight - BMI, Percent Body Fat, Waist-Hip ratio (WHR) - Segmental Soft Lean Mass, The Ratio of Segmental Soft Lean Mass, Segmental Fat mass, The Ratio of Segmental Fat Mass - Edema, Segmental Edema - Visceral Fat Area - Nutritional Evaluation (Protein, Mineral, Fat) - Body Balance - Body Strength - Health Diagnosis - Target Weight, Weight Control, Fat Control, Muscle Control, Fitness Score - Obesity Degree, BCM, BMC, Basal Metabolic Rate (BMR), AC, AMC - Body Composition History (Results of 10 measurements) - Impedance - Reactance Outputs (InBody Results Sheet for Children) - Height, Body Water,</p>			
--	---	--	--	--

	Protein, Mineral Body Fat Nutritional Evaluation (Protein, Mineral, Fat), Weight , Skeletal Muscle Mass - Body Shape Graph Growth Chart (Height, Weight), Target Weight , Weight Control, Muscle Control, Fat Control - BMI, Percent Body Fat, Child Obesity Degree, Basal Metabolic Rate (MBR) Growth Score			
36	Professional skinfold caliper with software Technical D details: Item Weight: 2.1 ounces Product Dimensions: 3.9 x 2.6 x 1 inches Item Model Number: FG1056 Batteries required: No.	2 units		
37	East Asian food replica set replicas of commonly eaten East Asian foods: Beans greens, beef cubes, broccoli, cake with icing, carrots cooked, cashes, chicken thigh fried, corn egg hard cooked, fish broiled, mango chunks, milk skim, mushroom canned drained, oranges mandarin, pea pods, peanuts, peas frozen, pepper rings red, pineapple chunks, pork tenderloin, rice fried, rice white, roll hard, sausage pork, shrimp boiled, spareribs barbeque roasted, spinach cooked, tofu raw, yogurt plain	2 sets		
38	How much sugar test tube display and life/form sugar and food replica set Demonstrates how much sugar is found in common foods using these dramatic visual aids. Kit includes the How Much Sugar? Test tubes, the Life/Form® Sugar and foods Replica Kit with the same foods as the How much Sugar: display, and resealable bags for storage. Includes realistic food replicas for the following:	2 sets		

	cola, chocolate bar, gelatin, browning, cookies, pancake syrup, cereal, toaster pastry, apple pie, and ice cream.			
39	<p>Complete MyPlate Food Replica Kit</p> <p>This kit combines five plates (WA29164G), the display rack (WA29167G), and the food kit (WA29168G) for your complete MyPlate educational Teaching kit.</p>	2 sets		
40	<p>Fat and muscle set 1lb and 5lb set</p> <p>Dramatic, three-dimensional visual replicas that visually and realistically portray body fat muscle.</p>	2sets		
41	<p>Drink less fat/sugar posters set</p> <p>use as impressive visuals of the actual amounts of fat and sugar in each drink along with comparisons of the drinks with other fattening and sugary foods.</p>	2 sets		
42	<p>Periodic table of caffeine beverages/sugar posters set</p> <p>cleverly designed to look like the periodic table of elements</p> <p>Presents information about a wide variety of popular caffeinated beverages and foods containing sugar</p> <p>Discusses how many calories and how much caffeine are in popular drinks and the sugar content in 55 common foods</p> <p>24" x 18" Laminated</p>	2 sets		
43	<p>How much sugar and caffeine set</p> <p>these tubes were designed to show students and consumers the outrageous amount of sugar and the potentially dangerous level of sugar and caffeine found in today's popular drink choices. Set display includes the following 8-oz. drinks: red Bull and other energy drinks, Mountain Des, enhanced water, sports drinks, juice drinks,</p>	2 set		

	sweetened ice tea, Starbucks Mocha Frappuccino, Starbucks flavored latte, Kool-Aid, and a chocolate shake. Two supersized tubes are also included.			
44	<p>Fight fat kit set</p> <p>Teaches the appropriate serving sizes, personal fat budgets, food groups, and food trade-offs. The program includes a Weight Management Book, fat, - When more is less poster, 1-lb. fat replica, an artery section with blockage replica, and resealable bags. Kit also contains the following 16 Life/form replicas.</p> <p>Low-Fat Foods: beans refried, cake angel food, cereal dry, chicken breast grilled, grapes green, milk skim, potato baked, tortilla corn.</p> <p>High-Fat Foods: bacon slice fried, candy bar small, ice cream vanilla, pizza slice, potatoes French fries, spaghetti and meatballs, waffle and wiener.</p>	2 sets		
45	<p>Portion sizes kit set</p> <p>an easy way to help clients/patients visualize portion sizes!</p> <p>The items in this kit give them an easy-to-remember guide for many different foods representing all groups in Food Guide Pyramid. kit includes: nickel (equals 2 oz. of dry spaghetti which equals 1 cup cooked spaghetti), tennis ball (equals 1 cup of cooked rice or 15 grapes), baseball (equals a 12- oz. potato or 1 cup of cold cereal/cornflakes/granola), deck of playing cards (equals 3 oz. of meat), 1" wooden cube (equals 1 oz. cheese), compact disk (CD) case (equals once slice of bread), matchbox equals 1 tbsp. of oil, salad dressing,</p>	3 sets		

	or mayonnaise), and a handy laminated card with food portion size equivalents. kit components come packaged in a convenient plastic storage container WITH A with a hinged, snap-closure lid a portion size equivalent list			
--	---	--	--	--

SECTION VII. TECHNICAL SPECIFICATIONS

Item	Specification	Statement of Compliance
1	Autoclave Machine (18L) 18L Automatic High Pressure Rapid Steam Sterilizer High-efficiency ultimate Vacuum LCD Screen Multiple security protective devices Automatic door	<p>Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause 3.1 (a) (ii) and/or GCC Clause 2.1 (a) (ii).</p>
2	Battlefield stretcher Aluminum Alloy, 93L x 20W x 20H cm(Folded Size), Load Bearing Weight of 159kgs.	
3	Canvass Stretcher (folding) Lightweight, Aluminum Alloy, Unfolded Size: 220x54x15cm	
4	CPR board L: 23.5inches, W:17in, Orange in Color	
5	Diagnostic Set-Portable (EENT) With Ophthalmoscope, Otoscope, Mouth and Nose Illuminations; H=19.7cm, W=11.8cm, Depth= 5.5cm	
6	Dressing Carriage Body is made up of Plastic, Steel and Aluminum; Easy to move and with drawers, Workable top:	

	600x450x840mm; Dimension:775x635x91 mm; With basket for sharps and trash can on sides	
7	<p>Electrocautery Machine Main Specifications: RFS-3800K RadioFreq SURG RFS-3800K (220 240 volts) Output Voltage :Variable from 500 to 600±20% Output Power:100w±20% Output Frequency:3.8 MHz. Output Waveform:Cut (Fully Filtered) Cut &Coag (Fully Rectified) Coag (Partially Rectified) Fulguration (Spark-Gap) Accessories: Neutral Plates Surgical Electrodes RF Surgipens Footswitches</p>	
8	<p>ECG Machine</p> <ul style="list-style-type: none"> • 7" TFT, touch screen, led backlight • Digital isolation technology and signal processing solution, digital filter • Patient management, name and age and id. • Detail analysis report. • Multi-language options: German, French, Italian, Turkish • Built-in lithium rechargeable battery, wide thermal printing system • USB and LAN socket. • Memory: Built-in memory or mini SD Memory card. Store more than 1000 pieces of archive • Auto-measurement, auto- analysis, and auto interpretation. • Lead: Standard 12 leads • Patient leak current: <10uA • Input impedance: =50M • Frequency response: 0.05 ~ 150HZ(-3dB) 	

	<ul style="list-style-type: none"> • Time constant: >3.2S • CMRR: >100dB • Dimension of recording paper: 80mmx20m • Paper speed: 25mm/s, 50mm/s • Sensitivity choice: 5, 10,20mm/mV. • Measurement parameters: HR, P-R interval, P-Duration, QRS Duration, Q-T interval, Q-Tc,P Axis, QRS Axis, T Axis, R(V5), S(V1), R(V5)+S(V1) • Product safety type: Class I, CF. Defibrillation and pacing protection • Enduring polarization voltage: $\pm 300\text{mv}$ • Noise level: <15uVp-p • Dimension: 130mm(L)\times74mm(W)\times25mm(H) • Net weight: 2.3KG 	
9	<p>E-Cart (3 drawers with Cardiac Board and Central Lock) Construction:</p> <ul style="list-style-type: none"> • All steel Features include: <ul style="list-style-type: none"> • Cardiac board • I.V. Pole, 2 prong • Oxygen bottle holder (for size D/E cylinders) • Side mounted drop shelf without lip • Utility hooks, set-4 • 3 x 6-compartment drawer trays • 3 x 7-compartment drawer trays • Short Cabinet with stainless steel breakaway locking system • Breakaway lock seals, pkg-50 • Vinyl-padded full wrap-around steel bumper • Five-inch (12.7 cm) premium rubber single-wheel casters, full swivel – one with brake, one directional • Stainless steel top rail/push handle • Removable plastic top • Ball-Bearing Drawer Slides • Double-walled drawer faces with no rough edges • Cart is delivered fully 	

	<p>assembled</p> <ul style="list-style-type: none"> • Certified "Latex Free" • Five Year Warranty • Compatible with most accessories • Hard-baked powder coat finish <p>Drawer configuration:</p> <ul style="list-style-type: none"> • 3 x 3-inch (7.6 cm) • 1 x 6-inch (15.2 cm) • 1 x 9-inch (22.9 cm) <p>Drawer Dimensions: 23" W x 17" D (58.4 cm W x 43.2 cm D)</p> <p>Assembled Cart Dimensions: 38.5" H x 38" W x 22" D (97.8 cm H x 55.9 cm D x 96.5 cm W)</p> <p>Height with IV pole: 61" (155 cm) H</p> <p>Cart weight: 155 pounds (70.3 kg)</p> <p>Approx. shipping weight: 190 pounds (86.4 kg)</p>	
10	<p>Foot Stool (1 step) Heavy Duty with non Skid Rubber</p>	
11	<p>Foot Stool (2step) Heavy Duty with non Skid Rubber</p>	
12	<p>Head Immobilizer (adult) Simple to use, lightweight, Includes two plastic-coated, closed-cell foam head supports, a universal attachment base, and two durable head straps; Can be attached to spineboards and stretchers; Wt: 9kg., Width: 26cm; H: 17cm; L: 40cm</p>	
13	<p>Head Immobilizer (pedia) Simple to use, lightweight, Includes two plastic-coated, closed-cell foam head supports, a universal attachment base, and two durable head straps; Can be attached to spine boards and stretchers; Wt: 9kg., Width: 26cm; H: 17cm; L: 40cm</p>	
14	<p>Negatoscope (double) High quality aluminum alloy frame that is processed by electrophoresis finishing; Ultrathin design at the thickness of 4.5cm.; ABS plastic material ensures side frame be firm enough.; Special surface</p>	

	treatment to avoid being scratched. Frame: 885x500x25mm	
15	One fold stretcher with wheels and straps Dimensions: LxWxH 185x52x23cm; Folded Size: LxWxH 93x52x10cm Load Bearing: 159 kg; Net Weight: 5 kg; Made of aluminum and heavy duty oxford fabric	
16	Otoscope Wide-angle viewing lens; Height: 13 CM; Width: 7.5 CM; Depth: 5.1 CM; Weight: 0.1 KG	
17	Overbed table Adjustable height, adjustable tilt, H Base fits under bed easily	
18	Padded Splint Set made with 1/2 X 3-in wood, sealed in reusable orange vinyl bags. 1/2-in foam on one side of splint adds comfort for patient. Set of 2 each 15 inch, 36 inch and 54 inch padded board splints with carrying case.	
19	Scoop Stretcher Made from lightweight, high- impact composite materials Twin Safety Lock® hinge for smooth and nonbinding locking and unlocking Includes three burgundy restraints Two hinged, interlocking pieces allow operators to gently scoop up a patient without having to roll them; decreasing movement to the cervical spine Folds to 47" for compact carrying and storage 500 lb. weight capacity	
20	Sharps Container (5L) Container made of polypropylene, Color Yellow, 182mm x 181mm x 260mm	
21	Sharps Container (10L) Container made of polypropylene, Color Yellow, 182mm x 181mm x 260mm	
22	Spine Board with strap Dimension: 145cmx 66cm; Color Orange; Material: High-density polyethylene (HDPE); X-ray translucent; Compatible with most head immobilizers; One- piece; hollow inside and circle	

	handholds around; Approx 150kg load capacity; Weight 6 to 10 Kg.	
23	<p>Stair Chair Stretcher Stationary 5" rear wheels enable swift, easy transport over most surfaces; Telescoping handles enable front-end EMTs to move without interfering with the patient's feet; Max Capacity load: 159 kgs.</p>	
24	<p>Stress ECG Machine PC Based Cardiac workstation combines Resting and Exercise ECG Bluetooth enabled Wireless ECG Transmission module Rechargeable battery with 10 hrs. battery backup up Battery status indicators Standard and user programmable treadmill protocols Risk predicting Duke Treadmill score Detection of leads off and arrhythmias User configured multiple display and reports format Heavy duty Treadmill Upgradeable to Automatic NIBP (optional) Easy to use stress test software with intuitive controls. Full disclosure data enables review and re analysis of every beat. User configured multiple display and report format. Standard and user programmable treadmill protocols. Equipped with high torque motor and digitally controlled drive system. Emergency stop with alarm. Compact and light weight with quiet operation safe start.</p>	
25	<p>Three Panel Screen External Dimension: 42x255x160cm; Folding and with thick dark colored curtain</p>	
26	<p>Tool Box/Tackle Box Hard Case made of PVC with handle; With various compartments; A snap lock with keys; Dimension: 20 x 20.5 x 22.5 cm (15.7" x 8.1" x 8.9")</p>	
27	<p>Wall Mounted Snellen Chart with Light White translucent</p>	

	plastic chart with non-glare black letters; Tumbling E's chart features E's in different directions; Illuminated letter pad or LED Spot light; Can be wall-mounted or stand alone	
28	Massage Bed length : 185 cm width: 70cm adjustable heights : 62 -87cm net weight : 10kls padding: foam of 5cm thickness table frame: reinforced by plywood and hardwoods	
29	Paraffin bath for hand/feet waxing heater Paraffin Wax Bath	
30	towel and linen Plastic cabinet 9 cubes color : black w/ white cover size: L x W x Hcm (165x37x48)	
31	Stainless drying towel rack two (3) layer design size:200x229 Quantity: 15	
32	Humidifier 1.5 ultrasonic air humidifier with led light changing on and off light	
33	Body composition Monitor Features; - Bluetooth Low Energy 4.0 radio wireless Communications - Android & iPhone compatible (iPhone 4S and newer) - Great for exporting data and long term tracking -measurement assessments shown in 3 backlit colors - Up to 10 full-body measurements - Free App (Healthy Edge Mobile) Specifications: - Display: LCD, 58.4 x 71.1 mm - Memory: 5 Users - Dimensions: 325 x 295 mm - Power: 4 x AA batteries (included) - weight: 2 kg - capacity: 200 kg General Features: - SKU:	

	<p>TA3127HBAA5IRXJANPH-11663429</p> <ul style="list-style-type: none"> - Main Material: Plastic - Model: RD953 Dual Frequency Body Composition Monitor - Size (L x W x H cm) 28 x 35 x 5 - Weight (kg) 3 - Warranty period 1 year - Warranty type Local supplier Warranty 	
34	<p>BOD POD Body Composition Testing</p> <p>Tests</p> <p>Total Weight, Fat Mass, Fat-Free Mass, Resting Metabolic Rate (RMR) estimate, Total Energy Expenditure (TEE) estimate, Thoracic Gas Volume (TGV) estimate</p> <p>Hardware Dimensions: 65 x 33 x 52 in (165 x 84 x 132 cm)</p> <p>Weight: 310 lb (141 kg)</p> <p>Maximum Patient Weight: 550 lb (250kg)</p> <p>Temperature : 70-80 ° F(21-27 °C)- operating 40-100°F (5-38°C) – storage</p> <p>Humidity: 20-70% (non-condensing)</p> <p>Standard Packaging Includes:</p> <p>BOD POD Express Unit, electronic scale, kiosk, calibration kit, printer, user manual</p>	
35	<p>Bio-Impedante Body Composition Analyzer</p> <ul style="list-style-type: none"> - Frequency: 1 kHz, 5kHz, 50 kHz, 250 kHz, 500kHz, 1000kHz - Display: 800 x 480 Color LCD - Hand Type: Line Type <p>Inbody770-30 impedance measurements by</p> <p>6 different frequencies (1kHz, 5 kHz, 50kHz, 250kHz, 500 kHz, 1000 kHz) at each 5 segments of the body (right arm, left arm, trunk, right leg, left leg)</p> <p>15 reactance (Xc) measurements by using 3 different frequencies (5kHz, 50kHz, 250</p>	

kHz) at each 5 segments of the body (right arm, left arm, trunk, right leg, left leg)
 Electrode Method === Tetrapolar
 8-Point Tactile Electrodes
 Measurement Method === Direct
 Segmental Multi-frequency
 Bioelectrical Impedance
 Analysis Method (DSM-BIA)
 Body Composition Calculation
 Method ===No Empirical
 Estimation Dimension ===== 520
 (W) x 870 (L) x 1200 (H):mm
 20.4 (W) x 34.3 (L) x 47.2 (H):
 inch
 Equipment Weight === 45kg (99
 lbs)
 Testing Weight === 10 ~ 250 kg
 (22 ~551 lbs)
 Testing Range === 3~99 years
 Height Range === 95~220cm
 (3ft. 1.4in ~ 7ft. 2.6in.) Outputs
 (In Body Results Sheet)
 - Intracellular Water,
 Extracellular water, Protein,
 Mineral, Body Fat Mss, Soft
 Lean Mass, Fat Free Mass
 - Skeletal Muscle Mass, Weight
 - BMI, Percent Body Fat, Waist-
 Hip ratio (WHR)
 - Segmental Soft Lean Mass,
 The Ratio of Segmental Soft
 Lean Mass, Segmental Fat mass,
 The Ratio of Segmental Fat Mass
 - Edema, Segmental Edema
 - Visceral Fat Area
 - Nutritional Evaluation (Protein,
 Mineral, Fat)
 - Body Balance
 - Body Strength
 - Health Diagnosis
 - Target Weight, Weight Control,
 Fat Control, Muscle Control,
 Fitness Score
 - Obesity Degree, BCM, BMC,
 Basal Metabolic Rate (BMR),
 AC, AMC
 - Body Composition History
 (Results of 10 measurements)
 - Impedance
 - Reactance
 Outputs (InBody Results Sheet
 for Children)
 - Height, Body Water, Protein,
 Mineral Body Fat Nutritional
 Evaluation (Protein, Mineral,
 Fat), Weight ,

	<p>Skeletal Muscle Mass - Body Shape Graph Growth Chart (Height, Weight), Target Weight , Weight Control, Muscle Control, Fat Control - BMI, Percent Body Fat, Child Obesity Degree, Basal Metabolic Rate (MBR) Growth Score</p>	
36	<p>Professional skinfold caliper with software Technical D details: Item Weight: 2.1 ounces Product Dimensions: 3.9 x 2.6 x 1 inches Item Model Number: FG1056 Batteries required: No.</p>	
37	<p>East Asian food replica set replicas of commonly eaten East Asian foods: Beans greens, beef cubes, broccoli, cake with icing, carrots cooked, cashes, chicken thigh fried, corn egg hard cooked, fish broiled, mango chunks, milk skim, mushroom canned drained, oranges mandarin, pea pods, peanuts, peas frozen, pepper rings red, pineapple chunks, pork tenderloin, rice fried, rice white, roll hard, sausage pork, shrimp boiled, spareribs barbeque roasted, spinach cooked, tofu raw, yogurt plain</p>	
38	<p>How much sugar test tube display and life/form sugar and food replica set Demonstrates how much sugar is found in common foods using these dramatic visual aids. Kit includes the How Much Sugar? Test tubes, the Life/Form® Sugar and foods Replica Kit with the same foods as the How much Sugar: display, and resealable bags for storage. Includes realistic food replicas for the following: cola, chocolate bar, gelatin, browning, cookies, pancake syrup, cereal, toaster pastry, apple pie, and ice cream.</p>	
39	<p>Complete MyPlate Food Replica Kit This kit combines five plates (WA29164G), the display rack (WA29167G), and the food kit (WA29168G) for your complete MyPlate educational Teaching</p>	

	kit.	
40	<p>Fat and muscle set 1lb and 5lb set</p> <p>Dramatic, three-dimensional visual replicas that visually and realistically portray body fat muscle.</p>	
41	<p>Drink less fat/sugar posters set</p> <p>use as impressive visuals of the actual amounts of fat and sugar in each drink along with comparisons of the drinks with other fattening and sugary foods.</p>	
42	<p>Periodic table of caffeine beverages/sugar posters set</p> <p>cleverly designed to look like the periodic table of elements Presents information about a wide variety of popular caffeinated beverages and foods containing sugar Discusses how many calories and how much caffeine are in popular drinks and the sugar content in 55 common foods 24" x 18" Laminated</p>	
43	<p>How much sugar and caffeine set these tubes were designed to show students and consumers the outrageous amount of sugar and the potentially dangerous level of sugar and caffeine found in today's popular drink choices. Set display includes the following 8-oz. drinks: red Bull and other energy drinks, Mountain Des, enhanced water, sports drinks, juice drinks, sweetened ice tea, Starbucks Mocha Frappuccino, Starbucks flavored latte, Kool-Aid, and a chocolate shake. Two supersized tubes are also included.</p>	
44	<p>Fight fat kit set</p> <p>Teaches the appropriate serving sizes, personal fat budgets, food groups, and food trade-offs. The program includes a Weight Management Book, fat, - When more is less poster, 1-lb. fat replica, an artery section with blockage replica, and resealable bags. Kit also contains the following 16 Life/form replicas. Low-Fat Foods: beans refried,</p>	

	<p>cake angel food, cereal dry, chicken breast grilled, grapes green, milk skim, potato baked, tortilla corn.</p> <p>High-Fat Foods: bacon slice fried, candy bar small, ice cream vanilla, pizza slice, potatoes French fries, spaghetti and meatballs, waffle and wiener.</p>	
45	<p>Portion sizes kit set an easy way to help clients/patients visualize portion sizes!</p> <p>The items in this kit give them an easy-to-remember guide for many different foods representing all groups in Food Guide Pyramid. kit includes: nickel (equals 2 oz. of dry spaghetti which equals 1 cup cooked spaghetti), tennis ball (equals 1 cup of cooked rice or 15 grapes), baseball (equals a 12- oz. potato or 1 cup of cold cereal/cornflakes/granola), deck of playing cards (equals 3 oz. of meat), 1" wooden cube (equals 1 oz. cheese), compact disk (CD) case (equals once slice of bread), matchbox equals 1 tbsp. of oil, salad dressing, or mayonnaise), and a handy laminated card with food portion size equivalents. kit components come packaged in a convenient plastic storage container WITH A with a hinged, snap-closure lid a portion size equivalent list</p>	