



## PHILIPPINE SPORTS COMMISSION

### REQUEST FOR QUOTATION

The Philippine Sports Commission, through its Bids & Awards Committee, invites interested **PHILGEPS-accredited** suppliers to submit SEALED signed formal quotation/s for:

Particular	Quantity	ABC (PHP)	Place of Delivery
	<div>Description</div> <div>Qty</div> <div>Unit</div>		
Supply and Delivery of Equipment for the Periodic Physiological Testing of Selected National Athletes	<p>1. <b>Beam Balance Weighing Scale with Stadiometer</b></p> <ul style="list-style-type: none"> <li>&gt; Calibrated</li> <li>&gt; Physician scale with height and weight, eye-level mechanical weigh beam</li> <li>&gt; With heavy duty solid stable platform</li> <li>&gt; Dual -reading die-cast weight beam which may be read from either side of the scale</li> <li>&gt; Durable steel construction with an electrostatic powder paint finish for optimum quality</li> <li>&gt; Capacity may be increased by using an optional counterweight</li> <li>&gt; USA - Manufactured and long lasting</li> <li>&gt; Capacity: 400 lb x 4 oz, 180 kg. x 100 g., 400 lb. x 4 oz / 175 kg. x 100 g.</li> <li>&gt; Scale height: 59 in. / 150 cm</li> <li>&gt; Height Rod (on select models -2392 excluded): 30 to 78 in. / 76 to 200cm - 1/4 in / 1/2cm increments</li> <li>&gt; Platform size: 10.5 in W x 14.5 in D / 27cm W x 37cm D</li> </ul>	25,412.55	Property and Supplies Office, Rizal Memorial Sports Complex, P. Ocampo Sr. St. Malate, Manila
	<p>2. <b>Body Composition Monitor</b></p> <ul style="list-style-type: none"> <li>&gt; Measures body fat percentage, body mass index (BMI), skeletal muscle, resting metabolism, visceral fat, body age and body weight</li> <li>&gt; Memory: can store health data for up to four (4) people with ages 6 to 80 years old and heights from 100 - 199.5 cm</li> <li>&gt; Easy on/off switch at base</li> <li>&gt; Display large LCD display allows for easy reading and displays weight up to 330 pounds</li> <li>&gt; Body weight: 2 to 150 kg. with an increment of 0.1 kg.</li> <li>&gt; Body Fat Percentage: 5.0 to 50.0% w/ an increment of 0.1%</li> <li>&gt; Skeletal Muscle percentage: 5.0 to 60.0% with an increment of 0.1%</li> <li>&gt; BMI: 2.5 to 90.0 with an increment of 0.1</li> <li>&gt; Resting metabolism: 385 to 3999 kcal with an increment of 1 kcal</li> <li>&gt; Visceral Fat Level: 30 levels with an increment of 1 level.</li> <li>&gt; Age range for body fat percentage, BMI : 6 to 80 yrs old.</li> <li>&gt; Age range for visceral fat level: 18 to 80 yrs. Old</li> <li>&gt; Set Items: Personal data info : stores up to 4 people Height: 100.0 to 199.0 cm Age; 6 to 80 years old Gender: Male / Female</li> <li>&gt; Weight accuracy: 2.0 kg. to 40.0 kg. = 0.4 kg 40.0 kg. to 150.0 kg = 1%</li> <li>&gt; Operating Temperature Humidity: +5 C to +35 C, 30% to 85% RH</li> <li>&gt; Battery life: Approximately one (1) year ( when AAA manganese batteries are used with four measurements a day at a room temperature of 23 C</li> </ul>	1	Unit

	<p>&gt; External Dimensions: Approximately 285 (W) x 28 (H) = 210 (D) mm</p> <p>&gt; It includes four (4) AAA batteries and Instruction Manual</p>		
3.	<p><b>Digital Weighing Scale</b></p> <ul style="list-style-type: none"> <li>&gt; Electronic bathroom scale</li> <li>&gt; Material: 6mm Tempered glass platform</li> <li>&gt; Measures up to 150kg (330 lbs.)</li> <li>&gt; Large LCD display screen</li> <li>&gt; With instant on function</li> <li>&gt; Edge tap switch off / auto-off</li> <li>&gt; High precision strain - gauge sensors</li> <li>&gt; With overload indicator</li> <li>&gt; With battery low indicator</li> <li>&gt; CR2032 battery included</li> </ul> <p>***Nothing Follows***</p> <p>Delivery Terms: 10 days</p>	1	Unit

The following documents must be submitted from October 16 – 21, 2019, 10:00 a.m. to the Office of Procurement located at 2<sup>nd</sup> floor, Administration Building, Rizal Memorial Sports Complex, Pablo Ocampo Sr. St. Malate Manila.

1. PHILGEPS Registration or PHILGEPS Certificate
2. ITR Form Year 2018 or Tax Clearance 2019
3. Omnibus Sworn Statement (notarized)
4. Mayor's Permit

For additional information, please contact the Procurement Office nos. Telefax: 524-3512 or 524-4408 loc. 143/175

The Commission reserves the right to not accept any and all quotations or not award the contract on the following grounds:

- There is prima facie evidence of collusion;
- The BAC failed to follow prescribed procurement procedures; and or
- There are justifiable grounds where the contract will not redound to the benefit of the government without incurring any liability to the affected bidder/s.

  
**ATTY. GUILLERMO B. IROY, JR.**  
 BAC Chairman

Date Posted on PHILGEPS & PSC website: October 16,, 2019