

Republic of the Philippines Office of the President

PHILIPPINE SPORTS COMMISSION

REQUEST FOR QUOTATION

Date: May 18, 2021 P.R. No. ADMIN-2021-05-06-001

| Name of Company: | | | | |
|-------------------------------|--|--|--|--|
| Address: | | | | |
| Name of Store/ Shop: | | | | |
| Address: | | | | |
| TIN: | | | | |
| PhilGEPS Registration Number: | | | | |

The **Philippine Sports Commission**, through its Bids and Awards Committee, intends to procure the **Supply and Delivery of Printer and Inks for Public Communications Office** in accordance with Section 52.1 (b) (Shopping) of the 2016 Revised Implementing Rules and Regulations of Republic Act No. 9184.

Please quote your best offer for the item described herein, subject to the Terms and Conditions provided at the last page of this RFQ. Submit your quotation duly signed by you or your duly authorized representative **not later than May 21, 2021 at 5:00 PM.** A copy of your 2021 Mayor's/Business Permit and valid PhilGeps number is also required to be submitted along with your quotation/proposal, directly to the Bids and Awards Committee Office located at Room 207, Administration Building, RMSC, P. Ocampo Sr. St., Malate Manila. In case the deadline falls on non-working, legal holiday, or special non-working holiday, the deadline shall be on the next working day.

For any clarification, you may contact us at telephone no.Telephone Nos. 8 525-0808/8 523-9831 loc. 143, 175 or email address <u>pscprocurement@yahoo.com</u>, <u>procurementfor2018@gmail.com</u> and copy <u>bac@psc.gov.ph</u>

ATTY. GUILLERMO B. IROY, JR. Chairman Bids and Awards Committee

| | INSTRUCTIONS: |
|-----|--|
| (1) | Accomplish this RFQ correctly and accurately |
| (2) | Do not alter the contents of this form in any way. |
| (3) | All Technical Specifications are mandatory. Failure to comply with any of the mandatory requirements will disqualify your quotation. |
| (4) | Failure to follow these instructions will disqualify your entire quotation. |

After having carefully read and accepted the Terms and Conditions, I/We submit our quotation/s for the item/s as follows:

| PROJECT NAME: Supply and Delivery of Printer and Inks for Public Communications Office Item 1 Printer, Branded >Yiled of Up to 1,800 4R photos >Lowest Printing Costs >Wi-fi support >CD/DVD Printing Capability > 1 year or 3000 prints warranty Printing Technology: >Print Method: on demand inkjet Maximum Print Resolution: 5,760 x 1,440 dpi (with variable sizes droplet technology) >Minimum Ink Droplet Volume: 1.5 pl >Automatic Duplex Printing: No >Print Direction: Bi-directional printing Nazele Configuration: 90 nozzles, each colour (Cyan, Magenta, Yellow, Black, Light Cyan, Light Magenta) Print Speed: >Draft, A4 (Black/ Colour): Approx. 37 ppm /38 ppm *1 >ISO 24734, A4 Simplex (Black / Colour): Up to 5.1 ipm/4.8 ipm *1 >Photo Default: Approx. 27 sec per photo (Borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (Borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (Borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 Paper (75g/m2), up to 20 sheets, A4 Plain Paper (default mold text) >Maximum Paper size: 215.9 x 1117.6mm (8.5 x 44'') Paper Feed Method Friction feed: >Paper size: A4, A5, A6, B5, 10 X 15cm (4 x 6''), 13 x 18cm (5 x 7''), 16:9 wide size, letter (8.5 x 11''), legal (8.5 x 14''), Half Letter (5.5 x 8.5''), 9 x 13cm (3.5 x 5''), 13 x 20cm (5 x 8''), 20 x 25 cm (8 x 10''), 100 x 148mm, Envelopes: #10 (4.125 x | |
|--|--|
| Supply and Delivery of Printer and Inks for Public Communications Office Item 1 Printer, Branded >Yileld of Up to 1,800 4R photos >Lowest Printing Costs >Wi-fi support >CD/DVD Printing Capability >1 year or 3000 prints warranty Printing Technology: >Print Method: on demand inkjet Maximum Print Resolution: 5,760 x 1,440 dpi (with variable sizes droplet technology) >Minimum Ink Droplet Volume: 1.5 pl >Automatic Duplex Printing: No >Print Direction: Bi-directional printing, Uni-directional printing >Nozzle Configuration: 90 nozzles, each colour (Cyan, Magenta, Yellow, Black, Light Cyan, Light Magenta) Print Speed: >Draft, A4 (Black/ Colour): Approx. 37 ppm /38 ppm *1 >ISO 24734, A4 Simplex (Black / Colour): Up to 5.1 ipm/4.8 ipm *1 >ISO 24734, A4 Simplex, 12 sec per photo (borderless) *1 >Max Photo Defult: Approx. 27 sec per photo (borderless) *1 >Mumber of Paper Irays: 1 >Number of Paper Irays: 1 >Standard Paper Input Capacity: Up to 120 sheets, A4 Plain Paper Handling: >Output capacity up to 50 sheets, At Plain Paper (26g/m2), up to 20 sheets, At Plain Paper (26g/m2), up to 20 sheets, premium glossy photo paper >0/ | |
| Item 1 Printer, Branded >Yield of Up to 1,800 4R photos > >Lowest Printing Costs > >Wi-fi support > >CD/DVD Printing Capability > >1 year or 3000 prints warranty Printing Technology: >Print Method: on demand inkjet Maximum Print Resolution: 5,760 x 1,440 dpi (with variable sizes droplet technology) >Minimum Ink Droplet Volume: 1.5 pl > >Automatic Duplex Printing: No > >Print Speed: > >Nozzle Configuration: 90 nozzles, each colour (Cyan, Magenta, Yellow, Black, Light Cyan, Light Magenta) Print Speed: >Draft, A4 (Black/ Colour): Approx. 37 ppm /38 ppm *1 > >ISO 24734, A4 Simplex (Black / Colour): Up to 5.1 ipm/4.8 ipm *1 > >ISO 24734, A4 Simplex, Light Capacity: Up to 120 sheets, A4 Plain Paper (Z5g/m2), up to 20 sheets, premium glossy photo paper > >Number of Paper Trays: 1 > >Standard Paper input Capacity: Up to 120 sheets, A4 Plain Paper (Z5g/m2), up to 20 sheets, premium glossy photo paper > >Output capacity up to 50 sheets, A4 Plain Paper (default mold text) > > >Maximum Paper size: 215.9 x 1117.6mm (8.5 x 44") Paper Feed Method Friction feed: >Paper size: A4, A5, A6 | |
| Printer, Branded >Yield of Up to 1,800 4R photos >Lowest Printing Costs >Wi-fi support >CD/DVD Printing Capability >1 year or 3000 prints warranty Printing Technology: >Print Method: on demand inkjet Maximum Print Resolution: 5,760 x 1,440 dpi (with variable sizes droplet technology) >Minimum Ink Droplet Volume: 1.5 pl >Automatic Duplex Printing: No >Print Direction: Bi-directional printing, Uni-directional printing >Nozzle Configuration: 90 nozzles, each colour (Cyan, Magenta, Yellow, Black, Light Cyan, Light Magenta) Yellow, Black, Light Cyan, Light Magenta) Print Speed: >Draft, A4 (Black/ Colour): Approx. 37 ppm /38 ppm *1 >ISO 24734, A4 Simplex (Black / Colour): Up to 5.1 ipm/4.8 ipm *1 >ISO 24734, A4 Simplex (Black / Colour): Up to 5.1 ipm/4.8 ipm *1 >Nazer of Paper Trays: 1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 Paper Handling: >Number of Paper Trays: 1 >Standard Paper input Capacity: Up to 120 sheets, A4 Plain Paper (75g/m2), up to 20 sheets, premium glossy photo paper >Output capacity up to 50 sheets, A4 Plain Paper (default mold text) >Maximum Paper size: 215.9 x 1117.6mm (8.5 x 44") | |
| >Yield of Up to 1,800 4R photos >Lowest Printing Costs >Wi-fi support >CD/DVD Printing Capability >1 year or 3000 prints warranty Printing Technology: >Print Method: on demand inkjet Maximum Print Resolution: 5,760 x 1,440 dpi (with variable sizes droplet technology) >Minimum Ink Droplet Volume: 1.5 pl >Automatic Duplex Printing: No >Print Direction: Bi-directional printing, Uni-directional printing >Nazgle Configuration: 90 nozzles, each colour (Cyan, Magenta, Yellow, Black, Light Cyan, Light Magenta) Print Speed: >Draft, A4 (Black/ Colour): Approx. 37 ppm /38 ppm *1 >ISO 24734, A4 Simplex (Black / Colour): Up to 5.1 ipm/4.8 ipm *1 >ISO 24734, A4 Simplex (Black / Colour): Up to 5.1 ipm/4.8 ipm *1 >Number of Paper Trays: 1 >Number of Paper Inays: 1 >Standard Paper input Capacity: Up to 120 sheets, A4 Plain Paper (75g/m2), up to 20 sheets, premium glossy photo paper >Output capacity up to 50 sheets, A4 Plain Paper (default mold text) >Maximum Paper size: 215.9 x 1117.6mm (8.5 x 44") Paper Feed Method Friction feed: >Paper size: A4, A5, A6, B5, 10 X 15cm (4 x 6"), 13 x 18cm (5 x 7"), 16:9 wide size, letter (8.5 x 11"), legal (8.5 x 14"), Half Letter (5.5 x 8.5"), 9 x 13cm (3.5 x 5"), 13 x 20cm (5 x 8"), 20 x 25 cm (| |
| >Lowest Printing Costs >Wi-fi support >CD/DVD Printing Capability >1 year or 3000 prints warranty Printing Technology: >Print Method: on demand inkjet Maximum Print Resolution: 5,760 x 1,440 dpi (with variable sizes droplet technology) >Minimum Ink Droplet Volume: 1.5 pl >Automatic Duplex Printing: No >Print Direction: Bi-directional printing, Uni-directional printing >Nozzle Configuration: 90 nozzles, each colour (Cyan, Magenta, Yellow, Black, Light Cyan, Light Magenta) Print Speed: >Draft, A4 (Black/ Colour): Approx. 37 ppm /38 ppm *1 >ISO 24734, A4 Simplex (Black / Colour): Up to 5.1 ipm/4.8 ipm *1 >ISO 24734, A4 Simplex (Black / Colour): Up to 5.1 ipm/4.8 ipm *1 >Number of Paper Trays: 1 >Standard Paper input Capacity: Up to 120 sheets, A4 Plain Paper (75g/m2), up to 20 sheets, premium glossy photo paper >Output capacity up to 50 sheets, A4 Plain Paper (default mold text) >Maximum Paper size: 215.9 x 1117.6mm (8.5 x 44") Paper Feed Method Friction feed: >Paper size: A4, A5, A6, B5, 10 X 15cm (4 x 6"), 13 x 18cm (5 x 7"), 16:9 wide size, letter (8.5 x 11"), legal (8.5 x 14"), Half Letter (5.5 x 8.5"), 9 x 13cm (3.5 x 5"), 13 x 20cm (5 x 8"), 20 x 25 cm (8 x 10"), 100 x 148mm, Envelopes: #10 (4.125 x | |
| >Wi-fi support >CD/DVD Printing Capability >1 year or 3000 prints warranty Printing Technology: >Print Method: on demand inkjet Maximum Print Resolution: 5,760 x 1,440 dpi (with variable sizes droplet technology) >Minimum Ink Droplet Volume: 1.5 pl >Automatic Duplex Printing: No >Print Direction: Bi-directional printing, Uni-directional printing >Nozzle Configuration: 90 nozzles, each colour (Cyan, Magenta, Yellow, Black, Light Cyan, Light Magenta) Print Speed: >Draft, A4 (Black/ Colour): Approx. 37 ppm /38 ppm *1 >ISO 24734, A4 Simplex (Black / Colour): Up to 5.1 ipm/4.8 ipm *1 >Photo Default: Approx. 27 sec per photo (Borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (Borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 >Maximum Praper | |
| >CD/DVD Printing Capability >1 year or 3000 prints warranty Printing Technology: >Print Method: on demand inkjet Maximum Print Resolution: 5,760 x 1,440 dpi (with variable sizes droplet technology) >Minimum Ink Droplet Volume: 1.5 pl >Automatic Duplex Printing: No >Print Direction: Bi-directional printing, Uni-directional printing >Nozzle Configuration: 90 nozzles, each colour (Cyan, Magenta, Yellow, Black, Light Cyan, Light Magenta) Print Speed: >Draft, A4 (Black/ Colour): Approx. 37 ppm /38 ppm *1 >ISO 24734, A4 Simplex (Black / Colour): Up to 5.1 ipm/4.8 ipm *1 >Photo Default: Approx. 27 sec per photo (Borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (Borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 >Max Photo Defult: Approx. 27 sec per photo (Borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 >Maximum Paper input Capacity: Up to 120 sheets, A4 Plain Paper (default mold text) >Maximum Paper size: 215.9 x 1117.6mm (8.5 x 44") Paper Feed Method Friction feed: | |
| >1 year or 3000 prints warranty Printing Technology: >Print Method: on demand inkjet Maximum Print Resolution: 5,760 x 1,440 dpi (with variable sizes droplet technology) >Minimum Ink Droplet Volume: 1.5 pl >Automatic Duplex Printing: No >Print Direction: Bi-directional printing, Uni-directional printing >Nozzle Configuration: 90 nozzles, each colour (Cyan, Magenta, Yellow, Black, Light Cyan, Light Magenta) Yellow, Black, Light Cyan, Light Magenta) Print Speed: >Draft, A4 (Black/ Colour): Approx. 37 ppm /38 ppm *1 >ISO 24734, A4 Simplex (Black / Colour): Up to 5.1 ipm/4.8 ipm *1 >ISO 24734, A4 Simplex (Black / Colour): Up to 5.1 ipm/4.8 ipm *1 >Nax Photo Default: Approx. 27 sec per photo (Borderless) *1 Photo Default: Approx. 12 sec per photo (borderless) *1 PAper Handling: >Number of Paper Trays: 1 >Standard Paper input Capacity: Up to 120 sheets, A4 Plain Paper (default mold text) >Maximum Paper size: 215.9 x 1117.6mm (8.5 x 44") Paper Feed Method Friction feed: >Paper size: A4, A5, A6, B5, 10 X 15cm (4 x 6"), 13 x 18cm (5 x 7"), 16:9 wide size, letter (8.5 x 11"), legal (8.5 x 14"), Half Letter (5.5 x 8.5"), 9 x 13cm (3.5 x 5"), 13 x 20cm (5 x 8"), 20 x 25 cm (8 x 10"), 100 x 148mm, Envelopes: #10 (4.125 x | |
| Printing Technology: > >Print Method: on demand inkjet | |
| >Print Method: on demand inkjet Maximum Print Resolution: 5,760 x 1,440 dpi (with variable sizes droplet technology) >Minimum Ink Droplet Volume: 1.5 pl >Automatic Duplex Printing: No >Print Direction: Bi-directional printing, Uni-directional printing >Nozzle Configuration: 90 nozzles, each colour (Cyan, Magenta, Yellow, Black, Light Cyan, Light Magenta) Print Speed: >Draft, A4 (Black/ Colour): Approx. 37 ppm /38 ppm *1 >ISO 24734, A4 Simplex (Black / Colour): Up to 5.1 ipm/4.8 ipm *1 >Photo Default: Approx. 27 sec per photo (Borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 >Max Photo Defult: Approx 12 sec per photo (borderless) *1 >Paper Handling: >Number of Paper Trays: 1 >Standard Paper input Capacity: Up to 120 sheets, A4 Plain Paper (75g/m2), up to 20 sheets, premium glossy photo paper >0utput capacity up to 50 sheets, A4 Plain Paper (default mold text) >Maximum Paper size: 215.9 x 1117.6mm (8.5 x 44") Paper Feed Method Friction feed: >Paper size: A4, A5, A6, B5, 10 X 15cm (4 x 6"), 13 x 18cm (5 x 7"), 16:9 wide size, letter (8.5 x 11"), legal (8.5 x 14"), Half Letter (5.5 x 8.5"), 9 x 13cm (3.5 x 5"), 13 x 20cm (5 x 8"), 20 x 25 cm (8 x 10"), 100 x 148mm, Envelopes: #10 (4.125 x | |
| Maximum Print Resolution: 5,760 x 1,440 dpi (with variable sizes droplet technology) >Minimum Ink Droplet Volume: 1.5 pl >Automatic Duplex Printing: No >Print Direction: Bi-directional printing, Uni-directional printing >Nozzle Configuration: 90 nozzles, each colour (Cyan, Magenta, Yellow, Black, Light Cyan, Light Magenta) Print Speed: >Draft, A4 (Black/ Colour): Approx. 37 ppm /38 ppm *1 >ISO 24734, A4 Simplex (Black / Colour): Up to 5.1 ipm/4.8 ipm *1 >ISO 24734, A4 Simplex (Black / Colour): Up to 5.1 ipm/4.8 ipm *1 >Nax Photo Default: Approx. 27 sec per photo (Borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 >Number of Paper Trays: 1 >Standard Paper input Capacity: Up to 120 sheets, A4 Plain Paper (75g/m2), up to 20 sheets, premium glossy photo paper >Output capacity up to 50 sheets, A4 Plain Paper (default mold text) >Maximum Paper size: 215.9 x 1117.6mm (8.5 x 44") Paper Feed Method Friction feed: >Paper size: A4, A5, A6, B5, 10 X 15cm (4 x 6"), 13 x 18cm (5 x 7"), 16:9 wide size, letter (8.5 x 11"), legal (8.5 x 14"), Half Letter (5.5 x 8.5"), 9 x 13cm (3.5 x 5"), 13 x 20cm (5 x 8"), 20 x 25 cm (8 x 10"), 100 x 148mm, Envelopes: #10 (4.125 x | |
| sizes droplet technology) >Minimum Ink Droplet Volume: 1.5 pl >Automatic Duplex Printing: No >Print Direction: Bi-directional printing, Uni-directional printing >Nozzle Configuration: 90 nozzles, each colour (Cyan, Magenta, Yellow, Black, Light Cyan, Light Magenta) Print Speed: >Draft, A4 (Black/ Colour): Approx. 37 ppm /38 ppm *1 >ISO 24734, A4 Simplex (Black / Colour): Up to 5.1 ipm/4.8 ipm *1 >Photo Default: Approx. 27 sec per photo (Borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 Paper Handling: >Number of Paper Trays: 1 >Standard Paper input Capacity: Up to 120 sheets, A4 Plain Paper (75g/m2), up to 20 sheets, premium glossy photo paper >Output capacity up to 50 sheets, A4 Plain Paper (default mold text) >Maximum Paper size: 215.9 x 1117.6mm (8.5 x 44") Paper Feed Method Friction feed: >Paper size: A4, A5, A6, B5, 10 X 15cm (4 x 6"), 13 x 18cm (5 x 7"), 16:9 wide size, letter (8.5 x 11"), legal (8.5 x 14"), Half Letter (5.5 x 8.5"), 9 x 13cm (3.5 x 5"), 13 x 20cm (5 x 8"), 20 x 25 cm (8 x 10"), 100 x 148mm, Envelopes: #10 (4.125 x | |
| >Minimum Ink Droplet Volume: 1.5 pl >Automatic Duplex Printing: No >Print Direction: Bi-directional printing, Uni-directional printing >Nozzle Configuration: 90 nozzles, each colour (Cyan, Magenta, Yellow, Black, Light Cyan, Light Magenta) Print Speed: >Draft, A4 (Black/ Colour): Approx. 37 ppm /38 ppm *1 >ISO 24734, A4 Simplex (Black / Colour): Up to 5.1 ipm/4.8 ipm *1 >Photo Default: Approx. 27 sec per photo (Borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 Paper Handling: >Number of Paper Trays: 1 >Standard Paper input Capacity: Up to 120 sheets, A4 Plain Paper (75g/m2), up to 20 sheets, premium glossy photo paper >Output capacity up to 50 sheets, A4 Plain Paper (default mold text) >Maximum Paper size: 215.9 x 1117.6mm (8.5 x 44") Paper Feed Method Friction feed: >Paper size: A4, A5, A6, B5, 10 X 15cm (4 x 6"), 13 x 18cm (5 x 7"), 16:9 wide size, letter (8.5 x 11"), legal (8.5 x 14"), Half Letter (5.5 x 8.5"), 9 x 13cm (3.5 x 5"), 13 x 20cm (5 x 8"), 20 x 25 cm (8 x 10"), 100 x 148mm, Envelopes: #10 (4.125 x | |
| >Automatic Duplex Printing: No >Print Direction: Bi-directional printing, Uni-directional printing >Nozzle Configuration: 90 nozzles, each colour (Cyan, Magenta, Yellow, Black, Light Cyan, Light Magenta) Print Speed: >Draft, A4 (Black/ Colour): Approx. 37 ppm /38 ppm *1 >ISO 24734, A4 Simplex (Black / Colour): Up to 5.1 ipm/4.8 ipm *1 >Photo Default: Approx. 27 sec per photo (Borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 >Number of Paper Trays: 1 >Standard Paper input Capacity: Up to 120 sheets, A4 Plain Paper (75g/m2), up to 20 sheets, premium glossy photo paper >Output capacity up to 50 sheets, A4 Plain Paper (default mold text) >Maximum Paper size: 215.9 x 1117.6mm (8.5 x 44") Paper Feed Method Friction feed: >Paper size: A4, A5, A6, B5, 10 X 15cm (4 x 6"), 13 x 18cm (5 x 7"), 16:9 wide size, letter (8.5 x 11"), legal (8.5 x 14"), Half Letter (5.5 x 8.5"), 9 x 13cm (3.5 x 5"), 13 x 20cm (5 x 8"), 20 x 25 cm (8 x 10"), 100 x 148mm, Envelopes: #10 (4.125 x | |
| >Print Direction: Bi-directional printing, Uni-directional printing >Nozzle Configuration: 90 nozzles, each colour (Cyan, Magenta, Yellow, Black, Light Cyan, Light Magenta) Print Speed: >Draft, A4 (Black/ Colour): Approx. 37 ppm /38 ppm *1 >ISO 24734, A4 Simplex (Black / Colour): Up to 5.1 ipm/4.8 ipm *1 >Photo Default: Approx. 27 sec per photo (Borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 >Number of Paper Trays: 1 >Standard Paper input Capacity: Up to 120 sheets, A4 Plain Paper (75g/m2), up to 20 sheets, premium glossy photo paper >Output capacity up to 50 sheets, A4 Plain Paper (default mold text) >Maximum Paper size: 215.9 x 1117.6mm (8.5 x 44") Paper Feed Method Friction feed: >Paper size: A4, A5, A6, B5, 10 X 15cm (4 x 6"), 13 x 18cm (5 x 7"), 16:9 wide size, letter (8.5 x 11"), legal (8.5 x 14"), Half Letter (5.5 x 8.5"), 9 x 13cm (3.5 x 5"), 13 x 20cm (5 x 8"), 20 x 25 cm (8 x 10"), 100 x 148mm, Envelopes: #10 (4.125 x | |
| >Nozzle Configuration: 90 nozzles, each colour (Cyan, Magenta,Yellow, Black, Light Cyan, Light Magenta)Print Speed:>Draft, A4 (Black/ Colour): Approx. 37 ppm /38 ppm *1>ISO 24734, A4 Simplex (Black / Colour): Up to 5.1 ipm/4.8 ipm *1>Photo Default: Approx. 27 sec per photo (Borderless) *1>Max Photo Defult: Approx. 12 sec per photo (borderless) *1Paper Handling:>Number of Paper Trays: 1>Standard Paper input Capacity: Up to 120 sheets, A4 Plain Paper (75g/m2), up to 20 sheets, premium glossy photo paper >Output capacity up to 50 sheets, A4 Plain Paper (default mold text)>Maximum Paper size: 215.9 x 1117.6mm (8.5 x 44")Paper Feed Method Friction feed: >Paper size: A4, A5, A6, B5, 10 X 15cm (4 x 6"), 13 x 18cm (5 x 7"), 16:9 wide size, letter (8.5 x 11"), legal (8.5 x 14"), Half Letter (5.5 x 8.5"), 9 x 13cm (3.5 x 5"), 13 x 20cm (5 x 8"), 20 x 25 cm (8 x 10"), 100 x 148mm, Envelopes: #10 (4.125 x | |
| Magenta,Yellow, Black, Light Cyan, Light Magenta)Print Speed:>Draft, A4 (Black/ Colour): Approx. 37 ppm /38 ppm *1>ISO 24734, A4 Simplex (Black / Colour): Up to 5.1 ipm/4.8 ipm*1>Photo Default: Approx. 27 sec per photo (Borderless) *1>Max Photo Defult: Approx. 12 sec per photo (borderless) *1Paper Handling:>Number of Paper Trays: 1>Standard Paper input Capacity: Up to 120 sheets, A4 PlainPaper (75g/m2), up to 20 sheets, premium glossy photo paper>Output capacity up to 50 sheets, A4 Plain Paper (default mold text)>Maximum Paper size: 215.9 x 1117.6mm (8.5 x 44")Paper Feed Method Friction feed:>Paper size: A4, A5, A6, B5, 10 X 15cm (4 x 6"), 13 x 18cm(5 x 7"), 16:9 wide size, letter (8.5 x 11"), legal (8.5 x 14"),Half Letter (5.5 x 8.5"), 9 x 13cm (3.5 x 5"), 13 x 20cm (5 x 8"),20 x 25 cm (8 x 10"), 100 x 148mm, Envelopes: #10 (4.125 x | |
| Yellow, Black, Light Cyan, Light Magenta) Print Speed: >Draft, A4 (Black/ Colour): Approx. 37 ppm /38 ppm *1 >ISO 24734, A4 Simplex (Black / Colour): Up to 5.1 ipm/4.8 ipm *1 >Photo Default: Approx. 27 sec per photo (Borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 Paper Handling: >Number of Paper Trays: 1 >Standard Paper input Capacity: Up to 120 sheets, A4 Plain Paper (75g/m2), up to 20 sheets, premium glossy photo paper >Output capacity up to 50 sheets, A4 Plain Paper (default mold text) >Maximum Paper size: 215.9 x 1117.6mm (8.5 x 44") Paper Feed Method Friction feed: >Paper size: A4, A5, A6, B5, 10 X 15cm (4 x 6"), 13 x 18cm (5 x 7"), 16:9 wide size, letter (8.5 x 11"), legal (8.5 x 14"), Half Letter (5.5 x 8.5"), 9 x 13cm (3.5 x 5"), 13 x 20cm (5 x 8"), 20 x 25 cm (8 x 10"), 100 x 148mm, Envelopes: #10 (4.125 x | |
| Print Speed:>Draft, A4 (Black/ Colour): Approx. 37 ppm /38 ppm *1>ISO 24734, A4 Simplex (Black / Colour): Up to 5.1 ipm/4.8 ipm*1>Photo Default: Approx. 27 sec per photo (Borderless) *1>Max Photo Defult: Approx. 12 sec per photo (borderless) *1Paper Handling:>Number of Paper Trays: 1>Standard Paper input Capacity: Up to 120 sheets, A4 PlainPaper (75g/m2), up to 20 sheets, premium glossy photo paper>Output capacity up to 50 sheets, A4 Plain Paper (default mold text)>Maximum Paper size: 215.9 x 1117.6mm (8.5 x 44")Paper Feed Method Friction feed:>Paper size: A4, A5, A6, B5, 10 X 15cm (4 x 6"), 13 x 18cm(5 x 7"), 16:9 wide size, letter (8.5 x 11"), legal (8.5 x 14"),Half Letter (5.5 x 8.5"), 9 x 13cm (3.5 x 5"), 13 x 20cm (5 x 8"),20 x 25 cm (8 x 10"), 100 x 148mm, Envelopes: #10 (4.125 x | |
| >Draff, A4 (Black/ Colour): Approx. 37 ppm /38 ppm *1 >ISO 24734, A4 Simplex (Black / Colour): Up to 5.1 ipm/4.8 ipm *1 >Photo Default: Approx. 27 sec per photo (Borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 Paper Handling: >Number of Paper Trays: 1 >Standard Paper input Capacity: Up to 120 sheets, A4 Plain Paper (75g/m2), up to 20 sheets, premium glossy photo paper >Output capacity up to 50 sheets, A4 Plain Paper (default mold text) >Maximum Paper size: 215.9 x 1117.6mm (8.5 x 44") Paper Feed Method Friction feed: >Paper size: A4, A5, A6, B5, 10 X 15cm (4 x 6"), 13 x 18cm (5 x 7"), 16:9 wide size, letter (8.5 x 11"), legal (8.5 x 14"), Half Letter (5.5 x 8.5"), 9 x 13cm (3.5 x 5"), 13 x 20cm (5 x 8"), 20 x 25 cm (8 x 10"), 100 x 148mm, Envelopes: #10 (4.125 x | |
| >ISO 24734, A4 Simplex (Black / Colour): Up to 5.1 ipm/4.8 ipm *1 >Photo Default: Approx. 27 sec per photo (Borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 Paper Handling: >Number of Paper Trays: 1 >Standard Paper input Capacity: Up to 120 sheets, A4 Plain Paper (75g/m2), up to 20 sheets, premium glossy photo paper >Output capacity up to 50 sheets, A4 Plain Paper (default mold text) >Maximum Paper size: 215.9 x 1117.6mm (8.5 x 44") Paper Feed Method Friction feed: >Paper size: A4, A5, A6, B5, 10 X 15cm (4 x 6"), 13 x 18cm (5 x 7"), 16:9 wide size, letter (8.5 x 11"), legal (8.5 x 14"), Half Letter (5.5 x 8.5"), 9 x 13cm (3.5 x 5"), 13 x 20cm (5 x 8"), 20 x 25 cm (8 x 10"), 100 x 148mm, Envelopes: #10 (4.125 x | |
| *1 Photo Default: Approx. 27 sec per photo (Borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 Paper Handling: >Number of Paper Trays: 1 >Standard Paper input Capacity: Up to 120 sheets, A4 Plain Paper (75g/m2), up to 20 sheets, premium glossy photo paper >Output capacity up to 50 sheets, A4 Plain Paper (default mold text) >Maximum Paper size: 215.9 x 1117.6mm (8.5 x 44") Paper size: A4, A5, A6, B5, 10 X 15cm (4 x 6"), 13 x 18cm (5 x 7"), 16:9 wide size, letter (8.5 x 11"), legal (8.5 x 14"), Half Letter (5.5 x 8.5"), 9 x 13cm (3.5 x 5"), 13 x 20cm (5 x 8"), 20 x 25 cm (8 x 10"), 100 x 148mm, Envelopes: #10 (4.125 x | |
| >Photo Default: Approx. 27 sec per photo (Borderless) *1 >Max Photo Defult: Approx. 12 sec per photo (borderless) *1 Paper Handling: >Number of Paper Trays: 1 >Standard Paper input Capacity: Up to 120 sheets, A4 Plain Paper (75g/m2), up to 20 sheets, premium glossy photo paper >Output capacity up to 50 sheets, A4 Plain Paper (default mold text) >Maximum Paper size: 215.9 x 1117.6mm (8.5 x 44") Paper Feed Method Friction feed: >Paper size: A4, A5, A6, B5, 10 X 15cm (4 x 6"), 13 x 18cm (5 x 7"), 16:9 wide size, letter (8.5 x 11"), legal (8.5 x 14"), Half Letter (5.5 x 8.5"), 9 x 13cm (3.5 x 5"), 13 x 20cm (5 x 8"), 20 x 25 cm (8 x 10"), 100 x 148mm, Envelopes: #10 (4.125 x | |
| >Max Photo Defult: Approx. 12 sec per photo (borderless) *1Paper Handling:>Number of Paper Trays: 1>Standard Paper input Capacity: Up to 120 sheets, A4 PlainPaper (75g/m2), up to 20 sheets, premium glossy photo paper>Output capacity up to 50 sheets, A4 Plain Paper(default mold text)>Maximum Paper size: 215.9 x 1117.6mm (8.5 x 44")Paper Feed Method Friction feed:>Paper size: A4, A5, A6, B5, 10 X 15cm (4 x 6"), 13 x 18cm(5 x 7"), 16:9 wide size, letter (8.5 x 11"), legal (8.5 x 14"),Half Letter (5.5 x 8.5"), 9 x 13cm (3.5 x 5"), 13 x 20cm (5 x 8"),20 x 25 cm (8 x 10"), 100 x 148mm, Envelopes: #10 (4.125 x | |
| Paper Handling: >Number of Paper Trays: 1 >Standard Paper input Capacity: Up to 120 sheets, A4 Plain Paper (75g/m2), up to 20 sheets, premium glossy photo paper >Output capacity up to 50 sheets, A4 Plain Paper (default mold text) >Maximum Paper size: 215.9 x 1117.6mm (8.5 x 44") Paper Feed Method Friction feed: >Paper size: A4, A5, A6, B5, 10 X 15cm (4 x 6"), 13 x 18cm (5 x 7"), 16:9 wide size, letter (8.5 x 11"), legal (8.5 x 14"), Half Letter (5.5 x 8.5"), 9 x 13cm (3.5 x 5"), 13 x 20cm (5 x 8"), 20 x 25 cm (8 x 10"), 100 x 148mm, Envelopes: #10 (4.125 x | |
| >Number of Paper Trays: 1>Standard Paper input Capacity: Up to 120 sheets, A4 Plain Paper (75g/m2), up to 20 sheets, premium glossy photo paper>Output capacity up to 50 sheets, A4 Plain Paper (default mold text)>Maximum Paper size: 215.9 x 1117.6mm (8.5 x 44")Paper Feed Method Friction feed: (5 x 7"), 16:9 wide size, letter (8.5 x 11"), legal (8.5 x 14"), Half Letter (5.5 x 8.5"), 9 x 13cm (3.5 x 5"), 13 x 20cm (5 x 8"), 20 x 25 cm (8 x 10"), 100 x 148mm, Envelopes: #10 (4.125 x | |
| >Standard Paper input Capacity: Up to 120 sheets, A4 Plain Paper (75g/m2), up to 20 sheets, premium glossy photo paper>Output capacity up to 50 sheets, A4 Plain Paper (default mold text)>Maximum Paper size: 215.9 x 1117.6mm (8.5 x 44")Paper Feed Method Friction feed: >Paper size: A4, A5, A6, B5, 10 X 15cm (4 x 6"), 13 x 18cm (5 x 7"), 16:9 wide size, letter (8.5 x 11"), legal (8.5 x 14"), Half Letter (5.5 x 8.5"), 9 x 13cm (3.5 x 5"), 13 x 20cm (5 x 8"), 20 x 25 cm (8 x 10"), 100 x 148mm, Envelopes: #10 (4.125 x | |
| Paper (75g/m2), up to 20 sheets, premium glossy photo paper >Output capacity up to 50 sheets, A4 Plain Paper (default mold text) >Maximum Paper size: 215.9 x 1117.6mm (8.5 x 44") Paper Feed Method Friction feed: >Paper size: A4, A5, A6, B5, 10 X 15cm (4 x 6"), 13 x 18cm (5 x 7"), 16:9 wide size, letter (8.5 x 11"), legal (8.5 x 14"), Half Letter (5.5 x 8.5"), 9 x 13cm (3.5 x 5"), 13 x 20cm (5 x 8"), 20 x 25 cm (8 x 10"), 100 x 148mm, Envelopes: #10 (4.125 x | |
| >Output capacity up to 50 sheets, A4 Plain Paper (default mold text) >Maximum Paper size: 215.9 x 1117.6mm (8.5 x 44") Paper Feed Method Friction feed: >Paper size: A4, A5, A6, B5, 10 X 15cm (4 x 6"), 13 x 18cm (5 x 7"), 16:9 wide size, letter (8.5 x 11"), legal (8.5 x 14"), Half Letter (5.5 x 8.5"), 9 x 13cm (3.5 x 5"), 13 x 20cm (5 x 8"), 20 x 25 cm (8 x 10"), 100 x 148mm, Envelopes: #10 (4.125 x | |
| (default mold text) >Maximum Paper size: 215.9 x 1117.6mm (8.5 x 44") Paper Feed Method Friction feed: >Paper size: A4, A5, A6, B5, 10 X 15cm (4 x 6"), 13 x 18cm (5 x 7"), 16:9 wide size, letter (8.5 x 11"), legal (8.5 x 14"), Half Letter (5.5 x 8.5"), 9 x 13cm (3.5 x 5"), 13 x 20cm (5 x 8"), 20 x 25 cm (8 x 10"), 100 x 148mm, Envelopes: #10 (4.125 x | |
| >Maximum Paper size: 215.9 x 1117.6mm (8.5 x 44") Paper Feed Method Friction feed: >Paper size: A4, A5, A6, B5, 10 X 15cm (4 x 6"), 13 x 18cm (5 x 7"), 16:9 wide size, letter (8.5 x 11"), legal (8.5 x 14"), Half Letter (5.5 x 8.5"), 9 x 13cm (3.5 x 5"), 13 x 20cm (5 x 8"), 20 x 25 cm (8 x 10"), 100 x 148mm, Envelopes: #10 (4.125 x | |
| Paper Feed Method Friction feed: >Paper size: A4, A5, A6, B5, 10 X 15cm (4 x 6"), 13 x 18cm (5 x 7"), 16:9 wide size, letter (8.5 x 11"), legal (8.5 x 14"), Half Letter (5.5 x 8.5"), 9 x 13cm (3.5 x 5"), 13 x 20cm (5 x 8"), 20 x 25 cm (8 x 10"), 100 x 148mm, Envelopes: #10 (4.125 x | |
| >Paper size: A4, A5, A6, B5, 10 X 15cm (4 x 6"), 13 x 18cm (5 x 7"), 16:9 wide size, letter (8.5 x 11"), legal (8.5 x 14"), Half Letter (5.5 x 8.5"), 9 x 13cm (3.5 x 5"), 13 x 20cm (5 x 8"), 20 x 25 cm (8 x 10"), 100 x 148mm, Envelopes: #10 (4.125 x | |
| (5 x 7"), 16:9 wide size, letter (8.5 x 11"), legal (8.5 x 14"), Half Letter (5.5 x 8.5"), 9 x 13cm (3.5 x 5"), 13 x 20cm (5 x 8"), 20 x 25 cm (8 x 10"), 100 x 148mm, Envelopes: #10 (4.125 x | |
| Half Letter (5.5 x 8.5"), 9 x 13cm (3.5 x 5"), 13 x 20cm (5 x 8"), 20 x 25 cm (8 x 10"), 100 x 148mm, Envelopes: #10 (4.125 x | |
| 20 x 25 cm (8 x 10"), 100 x 148mm, Envelopes: #10 (4.125 x | |
| | |
| 9.5"), | |
| DL (110 X 220mm), C6 (114 X 162mm) | |
| Print Margin: 0 mm top, left, right, bottom via custom | |
| settings in printer driver | |
| Supported OS and Applications: | |
| >Supported OS: Windows XP/Vista /7 /8 / 8.1/10 Mac OS x | |
| 10.6.8 or later | |
| Dimension and Weight: | |
| >Dimension (W x D x H): 547 X 289 X 187 mm | |
| >Weight: 6.0 kg | |
| Ink for Printer | |

| Item 2 | | |
|--|--|--|
| T6731 Black Ink, Bottle 70 ml | | |
| Item 3 | | |
| T6732 Cyan Ink, Bottle 70 ml | | |
| Item 4 | | |
| T6733 Magenta Ink, Bottle 70 ml | | |
| Item 5 | | |
| T6734 Yellow Ink, Bottle 70 ml | | |
| Item 6 | | |
| T6735 Light Cyan Ink, Bottle 70 ml | | |
| Item 7 | | |
| T6736 Light Magenta Ink, Bottle 70 ml | | |
| ***Nothing Follows*** | | |
| Delivery Requirement: | | |
| Can deliver within forty-five (45) Calendar days | | |

FINANCIAL OFFER:

Please quote your <u>best offer</u> for the items below. Please do not leave any blank items. Indicate "**0**" if item being offered is for free.

| Supply and Delivery of Printer and Inks for Public Communications Office | | | | | | | |
|--|---------------|-----------|------------------------------|--|--|--|--|
| Approved Budget for | Quantity in | Offered | Your Total Offered Quotation | | | | |
| Contract | Pieces | Price per | | | | | |
| | (A) | piece (B) | | | | | |
| Item 1 | l unit | | In Figures: | | | | |
| Fifteen Thousand One | | | | | | | |
| Hundred Eighty Pesos | | | | | | | |
| (PhP15,180.00) | | | | | | | |
| Item 2 | 4 pieces | | In Figures: | | | | |
| Two Thousand Two | | | | | | | |
| Hundred Pesos | | | | | | | |
| (PhP2,200.00) | | | | | | | |
| Item 3 | 4 pieces | | In Figures: | | | | |
| Two Thousand Two | | | | | | | |
| Hundred Pesos | | | | | | | |
| (PhP2,200.00) Item 4 | 1 1 1 2 2 2 2 | | | | | | |
| Two Thousand Two | 4 pieces | | In Figures: | | | | |
| Hundred Pesos | | | | | | | |
| (PhP2,200.00) | | | | | | | |
| tem 5 | 4 pieces | | In Figures: | | | | |
| Two Thousand Two | 4 pieces | | | | | | |
| Hundred Pesos | | | | | | | |
| (PhP2,200.00) | | | | | | | |
| Item 6 | 4 pieces | | In Figures: | | | | |
| Two Thousand Two | 1 plocos | | | | | | |
| Hundred Pesos | | | | | | | |
| (PhP2,200.00) | | | | | | | |
| Item 7 | 4 pieces | | In Figures: | | | | |
| Two Thousand Two | | | | | | | |
| Hundred Pesos | | | | | | | |
| (PhP2,200.00) | | | | | | | |
| GRAND TOTAL | | | In Words: | | | | |
| Twenty-Eight Thousand | | | | | | | |
| Three Hundred Eighty | | | | | | | |
| Pesos (PhP28,380.00) | | | | | | | |
| | | | In Figures: | | | | |
| | | | | | | | |

TERMS AND CONDITIONS:

- 1) Bidders shall provide correct and accurate information required in this form.
- 2) Price quotation/s must be valid for a period of thirty (30) calendar days from the date of submission.
- 3) Price quotation/s, to be denominated in the Philippine Peso shall include all taxes, duties and/or levies payable.
- 4) Quotations exceeding the Approved Budget for the Contract shall be rejected.
- 5) Award of contract shall be made to the lowest quotation (for goods and infrastructure) or, the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein.
- 6) Any interlineations, erasures or overwriting shall be valid only if they are signed or initiated by you or any of your duly authorized representative/s.
- 7) The item/s shall be delivered according to the requirements specified in the Technical Specifications.
- 8) The PSC shall have the right to inspect and/or to test the goods to confirm their conformity to the technical specifications.
- 9) In case of two or more bidders are determined to have submitted the Lowest Calculated Quotation/Lowest Calculated and Responsive Quotation, the PSC shall adopt and employ "draw lots" as the tie-breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005.
- 10) Payment shall be made after delivery and upon the submission of the required supporting documents, i.e., Order Slip and/or Billing statement, by the supplier, contractor or consultant.
- 11) Liquidated damages equivalent to one tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. The PSC shall rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.

Signature over Printed Name

Position/Designation

Office Telephone/Fax/Mobile Nos.

E-Mail Address/es