

## Republic of the Philippines Office of the President

# PHILIPPINE SPORTS COMMISSION

# **REQUEST FOR QUOTATION**

The Philippine Sports Commission, through its Bids & Awards Committee, invites interested *PHILGEPS-accredited* suppliers to submit SEALED signed formal quotation/s for:

| Particular                         | Descri   | ption      |             |                     |                             | ABC<br>(PHP) | Place of<br>Delivery     |
|------------------------------------|--|------------|-------------|---------------------|-----------------------------|--------------|--------------------------|
| Supply and<br>Delivery of All-in-  | Description  | <u>QTY</u> | <u>Unit</u> | <u>Unit</u><br>Cost | <u>Total</u><br><u>Cost</u> | 54,620.00    | Property<br>and          |
| One Ink Tank                       | 1 A3+ Wi-Fi Duplex Wide-Format   | 1          | Unit        | 27,495.00           | 27,495.00                   |              | Supplies                 |
| Printer and                        | All-in-One Ink Tank Printer  |            | onic        | 1,100.00            |                             |              | Office,<br>Rizal         |
| Consumables for<br>Engineering and | (Branded)  |            |             |                     |                             |              | Memorial                 |
| Maintenance                        | Specification:   |            |             |                     |                             |              | Sports                   |
| Section                            | Printer Type: Print, Scan, Copy, Fax<br>with ADF   |            |             |                     |                             |              | Complex,<br>P.<br>Ocampo |
|                                    | Printing Technology: Branded<br>Printhead  |            |             |                     |                             |              | Sr. St.                  |
|                                    | >Minimum Ink Droplet Volume: 3.3 pl  |            |             |                     |                             |              | Malate,<br>Manila        |
|                                    | >Printer Language: ESC / P-R   |            |             |                     |                             |              | ind ind                  |
|                                    | >Print Direction: Bi-directional printing<br>>Nozzle Configuration: 400 x 1<br>nozzles Black, 128 x<br>1 nozzles per colour (Cyan, Magenta,  |            |             |                     |                             |              |                          |
|                                    | Yellow)<br>>Maximum Resolution: 4800 x 1200  |            |             |                     |                             |              |                          |
|                                    | dpi<br>>Automatic 2-sided printing: Yes (up<br>to A4 / Letter)   |            |             |                     |                             |              |                          |
|                                    | Print Speed:<br>>Photo Default - 10 x 15 cm / 4 x 6"<br>Approx. 71 sec<br>per photo (Border) / 95 sec per photo<br>(Borderless)<br>>Draft A4 (Black / Colour): Up to 38.0<br>ppm / 24.0 ppm<br>>ISO 24734, A4 Simplex<br>(Black/Colour): Up to |            |             |                     |                             |              |                          |
|                                    | 17.0 ipm / 9.0 ipm<br>>ISO 24734, A3 Simplex<br>(Black/Colour): Up to  |            |             |                     |                             |              |                          |
|                                    | 3.5 ipm / 2.3 ipm<br>>First Page Out Time from Ready Mod<br>(Black/Colour):<br>Simplex: Up to 10sec/16sec Duplex:<br>Up to 17sec/25sec   | e          |             |                     |                             |              |                          |
|                                    | Copy Function:<br>>Maximum Copies from Standalone:<br>99 copies  |            |             |                     |                             |              |                          |
|                                    | >Reduction / Enlargement: 25 - 400%  |            |             |                     |                             |              |                          |
|                                    | >Maximum Copy Size: Legal  |            |             |                     |                             |              |                          |
|                                    | >Copy Resolution: 600 x 600 dpi<br>>Copying: ISO 29183, A4 Simplex<br>Flatbed:   |            |             |                     |                             |              |                          |
|                                    | (Black/Colour) Up to 11.5 ipm / 5.5 ipm  | l.         |             |                     |                             |              |                          |
|                                    | Scanning:<br>Scanner Type: Flatbed colour image<br>scanne  |            |             |                     |                             |              |                          |
|                                    | >Sensor Type: CIS  |            |             |                     |                             |              |                          |
|                                    | >Optical Resolution: 1200 x 2400 dpi<br>>Maximum Scan Area: 216 x 356<br>(mm)  |            |             |                     |                             |              |                          |

>Scanner Bit Depth (Colour): 48-bit input, 24-bit output;

(Grayscale): 16-bit input, 8-bit output; (Black & White): 16-bit input, 1-bit output >Scan Speed (Flatbed / ADF (Simplex)): 200dpi, Black: 13sec/ Up to 5.0 ipm; 200dpi, Colour:

28sec/ Up to 5.0ipm

÷

ADF Specification: >Support Paper Thickness: 64 - 95 g/m2

>Paper Capacity: 35 sheets

Fax Function >Type of Fax: Walk-up Black-andwhite and Colour

Fax Capability >Receive Memory / Page Memory: 1.1MB, Page

memory up to 100 pages

>Error Correction Mode: TU-T T.30 >FAX Speed (Data Transfer Rate): Up to 33.6 kbps,

Approx. 3 sec/page

>FAX Resolution: Up to 200 x 200 dpi >Transmission Paper Size: (Flatbed): B5, A5, A4,

Letter, Legal; (ADF): A4, Letter, Legal >Receiving Paper Size: B5,B4,A5,A4,Letter,Legal,A3 >Speed Dial/Group Dial: Up to 100numbers, 99groups >Fax Features: PC Fax (Transmission / Receive), Automatic Redial, Address book, Broadcast Fax (Mono Only),Transmit Reservation, Polling Reception,

Fax Preview

### Noise Level:

>PC Printing / Plain Paper Default: Sound Power (Black / Colour) 6.8 B(A) / 6.3 B(A), Sound Pressure

(Black / Colour) 55 dB(A) / 50 dB(A)

### Interface:

>USB: USB 2.0
>Network: Ethernet,Wi-Fi IEEE
802.11b/g/n,Wi-Fi Direct
>Network Protocol: TCP/IPv4,
TCP/IPv6
>Network Management Protocols:
SNMP, HTTP,
DHCP, BOOTP, APIPA, PING, DDNS,
mDNS, SLP,

## WSD, LLTD

Power:

>Rated Voltage: AC 220 - 240 V

>Rated Frequency: 50 - 60 Hz>Operating: 12.0 W; Standby: 5.4 W;Sleep: 1.0 W;

Power off; 0.3 W

Control Panel: >LCD Screen: 2.7" Colour LCD Touch Screen

A4 Wi-Fi All-in-One Ink

# <sup>2</sup> Tank Printer (Branded)

Specification: >Printer Type: Print, Scan and Copy Units 10,225.00 20,450.00

2

>Printing Technology: Print Method: On-demand

inkjet (Piezoelectric) >Printer Language: ESC/P-R, ESC/P Raster >Nozzle Configuration: 180 x 1 nozzles Black, 59 x 1 nozzles per Color (Cyan, Magenta, Yellow) >Maximum Resolution: 5760 x 1440 dpi

>Automatic 2-sided printing: No

#### **Print Speed:**

\$

.

>Photo Default - 10 x 15 cm / 4 x 6": Approx. 69 sec per photo (Border) / 90 sec per photo (Borderless)
>Draft, A4 (Black/ Color): Up to 33.0 ppm / 15.0 ppm
>ISO 24734,A4 (Black/Color): Up to 10.0 ipm /5.0 ipm
>1st Page Out Time (Black/Color): Approx.10sec/16sec

### Copying:

>Maximum Copies from Standalone: 20 copies >Maximum Copy Resolution: 600 x 600 dpi

>Maximum Copy Size: A4, Letter >ISO 29183, A4 Simplex (Black/Color):

Up to 7.7 ipm/3.8 ipm

### Scanning:

>Scanner Type: Flatbed color image scanner

>Sensor Type: CIS

>Optical Resolution: 1200 x 2400 dpi

>Maximum Scan Area: 216 x 297 mm >Scanner Bit Depth: (Color): 48-bit input, 24-bit output; (Grayscale): 16-bit input, 8-bit output; (Black & White):

16-bit input, 1-bit output

>Scan Speed (Flatbed): Black/Colour:

Up to 11 sec /Up to 28 sec

## Supported OS and Applications:

>Operating System Compatibility:
 Windows XP / XP
 Professional / Vista / 7 / 8 / 8.1 / 10
 Windows Server
 2003 / 2008 / 2012 / 2016 / 2019 Mac
 OS X 10.6.8

or later

### Noise Level:

>PC Printing / Premium Glossy Photo Paper Best Photo: Sound Power (Black / Color) 5.1 / 5.2 B(A), Sound Pressure (Black / Color) 38 / 39 dB(A) >PC Printing / Plain Paper Default: Sound Power (Black / Color) 6.4 / 6.2 B(A), Sound Pressure

(Black / Color) 50 / 48 dB(A)

Dimensions and Weight: >Dimensions (WxDxH): 375x347x179mm

>Weight: 3.9kg

Electrical Specifications:

>Rated Voltage: AC 220-240 V
>Rated Frequency: 50 - 60 Hz

RFQ05232023

| , |   | >Operating: 12.0 W; Standby: 4.5 W;<br>Sleep: 0.7 W;  |      |         |        |          |  |
|---|---|---|------|---------|--------|----------|--|
|   |   | Power Off: 0.2 W  |      |         |        |          |  |
|   |   | Interface:  |      |         |        |          |  |
|   |   | >USB: USB 2.0   |      |         |        |          |  |
|   |   | >Network: Wi-Fi, Wi-Fi Direc<br>>Network Protocol: TCP/IPv4,<br>TCP/IPv6<br>>Network Management Protocols:<br>SNMP, HTTP,<br>DHCP, APIPA, PING, DDNS, mDNS,<br>SLP, WSD, LLTD |      |         |        |          |  |
|   |   | Genuine 001 Black Ink Ecotank.  | -    | D 111   | 450.00 | 0.050.00 |  |
|   | 3 | 127ml   | 5    | Bottles | 450.00 | 2,250.00 |  |
|   |   | Genuine 001 Cyan Ink Ecotank.   | -    | D 44    | 005.00 | 1 475 00 |  |
|   | 4 | 70ml  | 5    | Bottles | 295.00 | 1,475.00 |  |
|   | 5 | Genuine 001 Magenta Ink Ecotank.<br>70ml  | 5    | Bottles | 295.00 | 1,475.00 |  |
|   |   | Genuine 001 Yellow Ink Ecotank.   |      |         |        |          |  |
|   | 6 | 70ml  | 5    | Bottles | 295.00 | 1,475.00 |  |
|   |   | ***nothing follows***   |      |         |        |          |  |
|   |   | • • • • • • • • • • • • • • • • • • •   |      |         |        |          |  |
|   |   | Delivery Terms: Thirty (30) Calendar  | days |         |        |          |  |

The following documents must be submitted from 25 May 2023 to 28 May 2023 at 5:00 pm, directly to the Bids and Awards Committee Secretariat located at Room 207, 2<sup>nd</sup> Floor, Administration Building, Rizal Memorial Sports Complex, Pablo Ocampo Sr. St. Malate Manila.

- 1. PHILGEPS Registration or PHILGEPS Certificate
- 2. Updated Omnibus Sworn Statement (notarized), per GPPB Resolution 16-2020
- 3. 2023 Mayor's/Business Permit

For additional information, please contact the Procurement Office nos. Telefax: 8 523-9831 loc. 143/175.

Quotations must be properly labeled with reference number on the project offered. In case the deadline falls on nonworking, legal holiday, or special non-working holiday, the deadline shall be on the next working day.

The Commission reserves the right to not accept any and all quotations or not award the contract on the following grounds:

- There is prima facie evidence of collusion;
- The BAC failed to follow prescribed procurement procedures; and or
- There are justifiable grounds where the contract will not redound to the benefit of the government without incurring any liability to the affected bidder/s.

ATTY. GUILLERMO B. IROY, JR. BAC Chairman

Date Posted on PHILGEPS & PSC website: May 25, 2023